LIST OF INDENTS FLOATED DURING MAY 2009

| INDENT NO. | DESCRIPTION OF ITEMS |
|------------|--|
| AA0242 | SEWING (TAILORING MACHINE) SINGER-MERRITT WITH ALL ACCESSOR |
| AA0243 | WOODEN BENCH AS PER ENCLOSED DRAWING BY USING KALBAGE WOOD |
| AC0882 | SMART CARD FOR CANTEEN AUTOMATION SYSTYEM AND BIOMETRIC SYST |
| EC0044 | SUPPLY OF 30 MTS HIGH MAST SYSTEM WITH ITS ACCESSORIES. MAST SHAFT SHALL BE IN MAXIMUM OF 3 SECTIONS , HOT DIP GALVANISED AND SUITABLE FOR WIND VELOCITY AS PER IS875 PART 3 .IT |
| | SHALL INCLUDE ACCESSORIES FOR HIGH MAST INCLUDING HEAD FRAME, STEEL WIRE |
| EC0045 | SUPPLY OF 30 MTS HIGH MAST SYSTEM WITH ITS ACCESSORIES AS PER ATTACHED SPECIFICATION AND DATA SHEETS. |
| IA0406 | MS VISIO 2007 STANDARD WIN32 ENGLISH SINGLE OLP NL WITH MEDIA |
| IA0407 | HP OFFICEJET PRO K5400 DN |
| IA0408 | NEOACCEL SSL VPN PLUS GATEWAY SOFTWARE - AS PER ENCLOSURE. |
| MC0063 | HDPE PIPE,OD:200MM,9.6MM THICK SUITABLE FOR 4 KG/CM2 PRESS. |
| ME2210 | SUPPLY AND INSTALLTION OF DISTRIBUTION BOARDS AS PER ANNEXURE 1 |
| ME2211 | LOW VOLTAGE SHUTDOWN PANEL 440 V AC AS PER ANNEXURE |
| ME2212 | METALLIC POWDER COATED ENCLOSURE WITH 1.5 KVA DRY TYPE TRANSFORMER SUITABLE FOR |
| | 110/220 V AC WITH ALL ARRANGEMENTS AS PER ANNEXURE DETAILS.INPUT VOLTAGE- 110 V |
| | AC(FIXED). OUT PUT VOLTAGE 230 V AC+/- 10%, SUTABLE TAPS TO BE PROVIDED ACCORDINGLY. |
| ME2213 | MULTIFUNCTION METER FOR THREE PHASE SYSTEM WITH FUNCTIONAL DETAILS ASPER ANNEXURE |
| | ALONGWITH SUITABLE ADAPTOR PLATES FOR CUT OUT DIMENSION OF 200MM |
| | (WIDTH)X300MM(HEIGHT) |
| ME2214 | SOFT STARTER PANEL WITH BYPASS FACILITY SUITABLE FOR 160 KW MOTOR INCLUDING |
| | COMMISSIONING ASSISTANCE AS PER ANNEXURE DETAILS |
| ME2215 | DC DISTRIBUTION BOARD ASPER ANNEXURE-1 DETAILS SUITABLE FOR WALL MOUNTING |
| ME2216 | NICKEL CADMIUM HIGH DISCHARGE BATTERY,170 CELLS, NOMINAL CELL VOLTAGE 1.2V/CELL, |
| | MINIMUM 318AH AT 5HR RATE OF DISCHARGE WITH SUITABLE STAND, INTERCELL |
| | CONNECTORS, STANDARD ACCESSORIES AS PER ANNEXURE FOR PHASE-2 GUTOR MAKE UPS AT |
| | CENTRAL CONTROL ROOM |
| ME2217 | INVERTER OF CAPACITY 500VA WITH LEAD-ACID BATTERY OF 2HOURS BACK-UP INCLUDING ALL |
| | NECESSARY INTERCONNECTIONS AND STAND TO HOUSE THE BATTERY BANK.MAKE OF INVERTER:SU- |
| | KAM,POWERMATE,V- |
| | GUARD, TECHSHER, HONDA, LUMINOUS, POWERNET, POWERLINE, EMERSON, GRAVITY |
| ME2218 | CABLE,FRLS, AL. CONDUCTOR, 3C X 240 SQMM, 1100V, ARMOURED |

| ME2219 | LOW VOLTAGE SHUTDOWN PANEL 440 V AC AS PER ANNEXURE |
|--------|--|
| ME2225 | CHEMICAL MEDIA PURAFIL SELECT CP BLEND (SAAF BLEND) |
| ME2227 | AVIATION LAMP FITTINGS, LED TYPE, FLASHING ,MEDIUM INTENSITY , IP 65 OR ABOVE, |
| | WEATHERPROOF AS PER SPECIFICATION ATTACHED IN ANNEXURE-2 |
| ME2228 | ENERGY METER, ELECTRONIC,3 PHASE,4 WIRE,240 VOLTS AC, 20AMPS |
| MI2826 | 3 WIRE RTD, PT100, DUPLEX FOR BFW PUMPS |
| MI2828 | HP TO LP PRDS2 SPRAY WATER CONTROL VALVE, TAG NO: TV805203, SPECIFICATION AND DRAWING |
| | ATTACHED |
| MI2829 | AUXILIARY RELAY AC 100/110V, 50 HZ TYPE MY4H, OMRON MAKE |
| MI2831 | 3 KVA UPS FOR ETP1 CONTROL SYSTEM |
| MI2833 | 3.0" BOILER FEED WATER CONTROL VALVE AS PER SPECIFICATION |
| MI2835 | PRESSURE SWITCH 0.1 TO 2 KG/CM2,WEATHER PROOF |
| MM6450 | BOLT FOR BDFU ROLLER,M8X50,HALF THREAD,HT,WITH 2 M8 NUTS |
| MM6480 | BOLT FOR BDFU ROLLER,M8X50,HALF THREAD,HT,WITH 2 M8 NUTS |
| MM6514 | FLANGED BEARING BLOCK, TYPE UCFL 207 D1(35 MM METRIC SERIES) |
| MM6515 | MILD STEEL ROUND -16MM |
| MM6516 | CONNECTING ROD HP 15T,P/N:32003642 F/INGERSOLL.RAND COMRESS |
| MM6519 | SUPPLY & INSTALLATION OF 1.5HP, 10 STAGE, SINGLE PHASE, 4" DIA, SUBMERSIBLE PUMP INCLUDING |
| | CONTROL PANEL (1.5HP),GI PIPE LINE (35 MTS),SUBMERSIBLE CABLE(2.5 SQ MM, 45 MTRS),BOREWELL |
| | CAP, CLAMP,NRV BEND & RCC CUBICAL BOX |
| MM6521 | ARC FOR 2009-2010 FOR PROCUREMENT OF RECHARGEABLE LEAD ACID BATTERIES & ACCESSORIES : |
| | EXIDE/ AMARON / STANDARD FORUKAWA MAKE , FOR VARIOUS HEAVY EQUIPMENTS / DG SETS , AS |
| | PER ENCLOSED ANNEXURE AS & WHEN REQUIRED |
| MM6522 | GASKET FOR MANWAY FOR DC2401-04/2401-04 AS PER DRAWING AHR/DC2401-04/2009, SPWD SS316 |
| | +CAF+GRPH , SIZE:654 X 673.1 X 711.2 X 771 MM |
| MM6523 | WATER JUG, COOL PACK, MILTON/CELLO/EAGLE,CAP:12.5 LTRS. |
| MM6524 | STUD W/2 NUTS A193B16/A194.4 -1.250"X10.750" |
| MM6525 | CONSTANT LEVEL OILER OPTOMATIC AS PER API 610, STD RANGE PULL OUT TYPE, BOROSILICATE |
| | CYLINDRICAL TEMP RESISTANT TRANSPARENT GLASS CONTAINER WITH FOOL PROOF LEVEL |
| | ADJUSTING MECHANISM WITH ALUMINIUM BODY & 1/4 BSP END CONNECTION ,CAPACITY:100 ML |
| MM6527 | DISCHARGE VALVE LANTERN, POS:115, P/NO:310000504040K19 |
| MM6528 | PTFE ROUND, DIA 200MM X 300MM,(WHITE) |
| MM6530 | GASK,SS304+GRAPH,SPWD,453X411,POS-46,CHANNEL COVER,EA-1704 |
| MP0040 | DIGITAL CAMERA, DSC-S930/S,2GB WITH ALL STANDARD ACCESSORIES |
| OA0315 | LIQUID CUM GAS NITROGEN,99.7 VOL % MIN. 20 PPM MAX.15 KG/CM2 |

| OF0165 | HIGH DENSITY POLY ETHYLENE (HDPE) BALLS (FLOATING TYPE) PACKED IN 25 KGS BAG.DAIMETER OF |
|------------|--|
| | BALL:50MM,THICKNESS OF BALL: 1.5MM |
| QA0171 | INV.,PRE-PRI.STAT.(1+4),WHITE,PINK,YELLOW,GREEN (250/PKT) |
| TE0119 | USB POWERED EXTERNAL HARD DRIVE 360 GB (WESTERN DIGITAL MAKE) |
| TG1098 | PH COMBINATION ELECTRODE,12 X 110MM GENERAL PURPOSE PLASTIC |
| TG1099 | FORTINS BAROMETER, WALL MOUNTABLE, AS PER THE ENCLOSED SPECIFICATIONS |
| TG1100 | ALUMINIUM SAMPLE BOTTLE, 1000ML, WIDE MOUTH (BORE DIAMETER 40-50MM) WITH WINGED |
| | POLYPROPYLENE CAP HAVING NITRILE RUBBER TAPER GASKET. |
| TG1101 | DENSITY HYDROMETER, CLEAR GLASS, LONG STEM, L50, 0.75 TO 0.80 |
| TG1102 | CRUCIBLE WITH 350W HEATING ELEMENT, SPARE FOR ELECTRIC BUNSEN |
| TG1103 | HEATING MANTLE,200W, FOR 500ML RB FLASK WITH BUILT IN ENERGY REGULATOR AS PER THE |
| | ATTACHED SPECIFICATION |
| | |
| INDENT NO. | JOB DESCRIPTION |
| JME567 | TESTING OF INSTRUMENTS /ANALYSERS AS PER ANNEXURE AND AS PER SPECIFICATIONS ATTACHED |
| JME578 | SUPPLY AND INSTALLATION OF COMPLETE GASKET SET ,OIL SEAL FOR BUSHING,TEFLON WAHSHERS |
| | FOR 500KVA, 33KV/0.433 KV GEC ALSTOM MAKE TRANSFORMER(TR-239.SL NO.01797)AT MRPL SITE |
| | INCLUDING THE CHARGES FOR MOBILIZATION, BOARDING/LODGING AND LOCAL CONVEYANCE ETC |
| JME597 | REPLACEMENT OF SUBSTATION RAILING WORKS AS PER ANNEXURE, SCOPE OF WORK, BOQ AND |
| 11.45500 | SPECIFICATION. |
| JME598 | SUPPLY AND INSTALLTION OF DISTRIBUTION BOARDS AS PER ANNEXURE 1 FOR USE IN LAB TABLES |
| JME599 | SERVICING OF EOT CRANESIN PLANT AND NON-PLANT AREA AS PER THE ENCLOSED JOBLIST IN |
| | ANNEXURE-1 AND EOT-CRANE LIST IN ANNEXURE-2 AS AND WHEN INSTRUCTED BY THE EIC FOR THE |
| | YEAR 2009-10 |
| JME601 | SUPPLY AND FABRICATION OF GI SHEET OF 3MM THICKNESS FOR FABRICATION OF CANOPIES FOR |
| | ALL ELECTRICAL EQUIPMENTS IN THE REFINERY AS PER THE INSTRUCTION OF MRPL EIC- GI SHEET |
| | OF MAKE- TATA/SAIL/JINDAL.FABRICATION OF GI CANOPIES WITH GI SHEETS OF 3MM BY BEND |
| JME603 | PEST CONTROL TREATMENT USING OF ALL SUBSTATION /MCC & LDP ROOM IN MRPL/JETTY/SARAPADY |
| | TELEPHONE EXCHANGE AS PER ANNEXURE ENCLOSED FOR LOCATIONS, TO BE DONE ONCE IN 15 |
| | DAYS. |
| | DAYS. |

| JME604 | ANNUAL RATE CONTRACT FOR CARRYING OUT EARTHING JOBS RELATED TO EARTHING AND |
|--------|---|
| | LIGHTNING PROTECTION IN ALL THE AREAS INCLUDING REFINERY/TOWNSHIP/JETTY/SARAPADY/APMC |
| | YARD AS PER THE INSTRUCTION OF MRPL EICINCLUDES SUPPLY AND INSTALLATION OF VARIOUS |
| | ITEMS |
| JMM382 | OVERHAULING AND TESTING OF HEAT EXCHANGER STRICTLY AS PER THE TENDER ENQUIRY |
| | SPECIFICATIONS, SOR AND INSTRUCTION OF EIC |
| JMM383 | INSITU RE-BORING OF CYLINDER LINER TO 433.0 MM IN DIAMETER FROM 431.7 MM AS PER ATTACHED |
| | SPECIFICATION |
| JMM385 | SEAL COVER, NYLON REINFORCED RUBBER SHEET, 1200MM WIDTH, 2MM THICK. |
| JMM388 | FABRICATION OF SMALL BORE PIPING FRP SPOOL PIECE/BENDS/SUPPORTS ETC OF 6 MM THK WITH BISPHENOL RESIN SUITABLE FOR 33% HCL SERVICE |
| JMM390 | DISMANTLING OF PIPELINES, STRUCTURES, EQUIPMENTS AND OTHER MRPL ITEMS AT VIRTUAL JETTY, |
| | NMPT PREMISES AND SHIFTING THEM TO MRPL STORES AS PER TENDER(ANNEXURE-1). |
| JMM391 | GMK 6250 MODEL, GROVE MAKE, 250T CRANE DAMAGED OPERATOR CABIN REPAIR, REQUIRED SPARE |
| | PARTS REPLACING AND RESETTING AS PER OUR ANNEXURE |
| JMM392 | GMK6250 MODEL,GROVE MAKE 250T CRANE OPERATING PANEL BOARD AND PANEL MAKING AS PER |
| | ATTACHED ANNEXURE |
| WAC564 | ANNUAL RATE CONTRACT FOR SUPPLY OF A/C AND NON A/C VEHICLES OF NOT BE MORE THAN 5 |
| | YEARS OLD TILL COMPLETION OF THE CONTRACT, VIZ: TATA SUMO/TRAVERA/ BAJAJ TRAX/MAHINDRA |
| | BOLERO ON MONTHLY (30/31 & 24/25 DAYS) BASIS FOR A MONTH. FOR DAILY 24HRS & 9 HRS DUTY |
| WAC565 | ENGLISH MANUALS & OTHER DOCUMENTS ARE TO BE TRANSLATED INTO HINDI(TRANSLATION MEANS |
| | TRANSLATION, VETTING, PROOF & TYPING) |
| WAC566 | TRANSLATION OF ENGLISH MANUALS INTO HINDI |
| WAC567 | PROVIDING SERVICE OF NON A/C MAHINDRA BOLERO/TATA SUMO OF LATEST MODELS TO THE |
| | SERCURITY DEPARTMENT ON MONTHLY BASIS(30/31 DAYS FOR A MONTH FOR DAILY 24 HOUR BASIS. |
| | AS PER TERMS AND CONDITION OF THE CONTRACT ENCLOSED. |
| WAE068 | COMPREHENSIVE AMC FOR CANON MAKE DIGITAL PHOTOCOPIER MODEL NO. IR3300 (MONO) |
| | INSTALLED AT MRPL DELHI OFFICE FOR ONE YEAR . |
| WAE069 | SHIFTING OF TRANSIT HOUSE FROM SAFDURJUNG ENCLAVE TO NEW TRANSIT HOUSE AT NEW |
| | FRIENDS COLONY. |
| WAE070 | RUNNING AND MAINTENANCE OF MPRL TRANSIT HOUSE AT D-920, NEW FRIENDS COLONY, NEW DLEHI. |
| WED075 | PIPING AND MECHANICAL WORKS FOR TANKAGES AND COASTAL TRANSFER PUMP AS PER SCOPE OF |
| | SUPPLY AND WORK ATTACHED |

| WIA373 | WEBSENSE WEB SECURITY GATEWAY WITH 12 MONTH SUBSCRIPTION. PART NO.: WSG-J-CP12-N. FOR |
|--------|---|
| | MRPL DELHI OFFICE. |
| WIA375 | AMC - INTERNET COMMUNICATION EQUIPMENTS AS PER ENCLOSURE. |
| WIA376 | PROVIDING SERVICES FOR LIFTING & SHIFTING OF COMPUTERS AND VARIOUS OTHER DAY TO DAY |
| | MISCELLANEOUS JOBS IN IS DEPARTMENT. |
| WIA377 | SUPPLY, INSTALL, TESTING, INTEGRATION AND COMMISSIONING OF PASSIVE COMPONENTS AND JOB |
| | WORK AS PER ENCLOSE BOM AND SCOPE OF WORK. |
| WMC666 | SUPPLY & FIXING OF ALUMINIUM WINDOWS, PARTITION & VINYLFLOORING WORKS AT MRPL CPP |
| | PLANT, DMPLANT, & COOLING TOWER AREAS. ENCLOSED AS PER BOQ, SPECIFICATIONS, |
| | SCAFFOLDING, MANPOWER, TOOLS, TACKLES, TRANSPORTION TO SITE ETC. ALL COMPLETE & AS |
| | DIRECTED BY EIC. CO |
| WMC672 | CONSTRUCTION OF BOX CULVERT IN FRONT OF OVAL PETROL PUMP AND MAIN CARGO GATE AS PER |
| | ENCLOSED BOQ AND DRAWING AS PER THE INSTRUCTIONS OF EIC |
| WMC673 | RENOVATION OF EXISTING PUBLIC HEALTH BUILDING AT BAJAV, KUTHETHOOR AS PER ENCLOSED |
| | BOQ AND AS PER THE INSTRUCTIONS OF EIC |
| WMC674 | CONSTRUCTION OF PIPE RACK SLEEPER FOR FIRE HYDRANT PIPE LINE IN NITROGEN PLANT AND FIRE |
| - | WATER NETWORK FOR GRASS BURNING YARD COMPLETE AS DIRECTED BY EIC |
| WMC675 | PROVIDING PROJECT MANAGEMENT CONSULTANCY SERVICES ALONG WITH TOWNS PLANNING, |
| | ARCHITECTURAL AND STRUCTURAL DESIGN SERVICE FOR THE CONTARUCTION OF 118 FLATS INSIDE |
| | THE MRPL TOWNSHIP INCLUDING SURVEY, SOIL INVESTIGATION, PREPARATION OF TENDER |
| | DOCUMENT FOR CO |
| WMC676 | ANNUAL RATE CONTRACT FOR CAPEX MODIFICATION JOBS AT PLANT AS PER ENCLOSED |
| | SPECIFICATIONS AND BOQ ALL AS DIRECTED BY ENGINEER IN CHARGE |
| WMC677 | PROVIDING PLUMBING MODIFICATION WORKS AT TOWNSHIP FOR REPLACEMENT OF TOILET FLUSH |
| | WHEREVER REQUIRED AND E-TYPE QUARTERS FIRST FLOOR PLUMBING LINE MODIFICATIONS, |
| | INCLUDING CHIPPING, REMOVAL OF OLD FITTING AND TRANSPORTATION OF THE SAME TO STORES, |
| | FILLING O |
| WMC678 | SUPPLY & FIXING OF ALUMINIUM WORKS AT MRPL STORE & NITROGEN PLANT AREA AS PER |
| | ENCLOSED BOQ, SPECIFICATIONS, TRANSPORTATION TO SITE ETC. ALL COMPLETE & AS DIRECTED BY |
| | EIC. |
| WOB026 | HOUSE KEEPING FOR PHASE-2 CRUDE UNIT DURING S/D FROM 20/05/2009 (FOR A PERIOD OF |
| | APPROXIMATE - 20 DAYS) |
| WOB027 | HOUSE KEEPING FOR PHASE-2 CRUDE UNIT DURING S/D FROM 20.05.2009 (FOR PERIOD OF |
| | APPROXIMATE - 20DAYS) |
| WOC015 | HOUSE KEEPING FOR PHASE-2 HYDROCRACKER UNIT DURING SHUTDOWN FROM 08/05/2009, FOR A |
| | PERIOD OF APPROXIMATE ONE MONTH |

| WOE210 | CLEANING OD CHEMICAL DRUMS PRIOR TO DISPOSAL, WITH DETERGENT |
|--------|--|
| WOE211 | PROVIDING SERVICES FOR HELPING IN OIL SKIMMING IN SURGE PONDS, API, TPI, EQ.PONDS AND OTHER EQUIPMENTS. PUMP PILTER CLEANING, PUMP CHANGEOVERS, EQUIPMENT LINING UP, PUMP HOUSE CLEANING, SLUDGE REMOVAL, OIL SPILL REMOVAL, CLEANING THE PATHWAYS, FREE OF GR |
| WOE212 | SURVEY OF PIPELINE TRANSFERS (PLT) BETWEEN MRPL AND IOCL/BPCL/IMC AS PER SCOPE OF WORK ATTACHED |
| WTG440 | REPAIR AND REPROCESSING OF LABORATORY PLATINUM DISHES BY ADDING EXTRA PLATINUM TO INCREASE THE WEIGHT NEARLY TO THE ORGINAL DISH WEIGHT AS GIVEN IN ENCLOSED BEC AND TECHNICAL DETAILS. |