



मंगलूर रिफाइनरी एण्ड पेट्रोकेमिकल्स लिमिटेड
MANGALORE REFINERY AND PETROCHEMICALS LIMITED

अनुसूची 'अ' के अंतर्गत भारत सरकार का उद्यम, SCHEDULE 'A' GOVT. OF INDIA ENTERPRISE.
(ऑयल एण्ड नेचुरल गैस कॉर्पोरेशन लिमिटेड की सहायक कंपनी, A SUBSIDIARY OF OIL AND NATURAL GAS CORPORATION LIMITED)
आई.एस.ओ. 9001, 14001 एवं 50001 प्रमाणित कंपनी, AN ISO 9001, 14001 AND 50001 CERTIFIED COMPANY.
सीआईएन/CIN : L23209KA1988GOI008959 / वेबसाइट Website : www.mrpl.co.in

L/MS/MoEF&CC/7522
30th May, 2024

The Director
Ministry of Environment, Forest & Climate Change,
4th Floor, E&F Wing, Kendriya Sadan,
Koramangala, Bengaluru – 560 034

Dear Sir,

विषय Subject:- Submission of Half Yearly Compliance to the Environmental Clearance(s) along with monitoring data

Please find enclosed herewith point wise compliance to the following Environmental Clearance(s) issued to MRPL by Ministry of Environment, Forest & Climate Change (MoEF & CC), New Delhi.

1. F.No. J-11011_215_2010-IA II(I) MoEF EC Modernization Project.

धन्यवाद Thanking You,

भवदीय Yours sincerely,

मंगलूर रिफाइनरी एण्ड पेट्रोकेमिकल्स लिमिटेड
For Mangalore Refinery & Petrochemicals Limited,

सुदर्शन

एम.एस सुदर्शन M.S Sudarsan
मुख्य महा प्रबंधक (स्वास्थ्य, संरक्षा एवं पर्यावरण)
Chief General Manager (Health, Safety and Environment)



परिवेश
PARIVESH
(CPC GREEN)

पर्यावरण, वन और जलवायु परिवर्तन मंत्रालय

Ministry of Environment, Forest and Climate Change



75
आज़ादी का
अमृत महोत्सव



सत्यमेव जयते

Back

View Compliance Report at Project Proponent

Proposal Details

Proposal No

IA/KA/IND2/176690/2020

Category

Industrial Projects - 2

Name of Project

MRPL Modernization 2020

Plot / Survey/ Khasra No.**Village(s)****Sub-District(s)****State**

KARNATAKA

District

DAKSHINA KANNADA

MoEF File No

J-11011 / 215 / 2010-IA II (I)

**Name of the Entity/
Corporate Office****Corporate Office**

Mangalore Refinery and Petrochemicals limited

Entity's PAN

NA

Entity Name as per PAN

NA

Entity details mentioned above is correct ?

Agree

Project KML

View on DSS

Covering Letter

Covering Letter[Click to View](#)**Compliance Reporting Details****Reporting Year**

2023

Reporting Period

01 Jun(01 Oct - 31 Mar)

Remark(if any)

This compliance reporting is for period 1st Oct 2023 to 31st Mar 2024 This EC product capacity condition is being superseded by the latest EC no. EC23A018KA154992 dated 09.01.2024 for capacity expansion from 16.6 to 18.2 MTPA.

Details of Production and Project Area**Date of Commencement of Project/Activity**

19-01-2021

	Project Area as per EC Granted(ha.)	Actual Project Area in Possession(ha.)
Private	1592	1592
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	1592	1592

Sr.No.	Name of the Product	Units	As per EC Granted	As per CTO Granted	CTO ID	Valid Up To	Production during last financial year
1	LPG	Million Tons per Annum (MTPA)	1.26	1.26	AW-337260	30-06-2026	1.02
2	Motor spirit	Million Tons per Annum (MTPA)	1.96	1.96	AW-337260	30-06-2026	2.26
3	ATF	Million Tons per Annum (MTPA)	2.04	2.04	AW-337260	30-06-2026	2.09

4	Diesel	Million Tons per Annum (MTPA)	6.47	6.47	AW-337260	30-06-2026	6.2
5	fuel oil	Million Tons per Annum (MTPA)	0.37	0.37	AW-337260	30-06-2026	0.29
6	VGO	Million Tons per Annum (MTPA)	0.15	0.15	AW-337260	30-06-2026	0.2718
7	Naptha	Million Tons per Annum (MTPA)	1.771	1.771	AW-337260	30-06-2026	1.05
8	Polypropylene	Million Tons per Annum (MTPA)	0.51	0.51	AW-337260	30-06-2026	0.389
9	Kerosene	Million Tons per Annum (MTPA)	0.05	0.05	AW-337260	30-06-2026	0.04
10	Sulphur	Million Tons per Annum (MTPA)	0.31	0.31	AW-337260	30-06-2026	0.187
11	Fuel & loss	Million Tons per Annum (MTPA)	2	2	AW-337260	30-06-2026	1.894
12	Petcoke	Million Tons per Annum (MTPA)	1.12	1.12	AW-337260	30-06-2026	0.816
13	bitumen	Million Tons per Annum (MTPA)	0.19	0.19	AW-337260	30-06-2026	0.125
14	Mixes xylene	Million Tons per Annum (MTPA)	0.002	0.002	AW-337260	30-06-2026	0.0056

Conditions

Specific Conditions

Sr.No.	Condition Heading	Condition Details	Status of Compliance,Remarks / Reason and Supporting Documents	
1	MISCELLANEOUS	They should submit latest certified compliance report within Six months in the Ministry. An undertaking letter/ certificate should be submitted by PP accordingly. While issuing latest CCR, RO, MoEF shall review conditions of all existing clearances and recommend a consolidated EC by merging all conditions and removing redundant and repetitive conditions based on field inspection.	PPs Submission	Latest certified compliance report submitted to the ministry on 12.10.2022 Complied Attachment: Click to View
2	Statutory compliance	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	PPs Submission	Noted for compliance and followed as applicable. Complied Attachment:NA
3	WATER QUALITY MONITORING AND PRESERVATION	The treated effluent of 446 m3/hr shall be sent for deep sea discharge through diffuser recommended by NIO.	PPs Submission	Noted for compliance. Treated effluent discharged through existing pipeline facilities Complied Attachment:NA
4	AIR QUALITY MONITORING AND PRESERVATION	The National Emission Standards for Petroleum Oil Refinery issued by the Ministry vide G.S.R. 186(E) dated 18th March, 2008 and G.S.R.595(E) dated 21st August, 2009	PPs Submission	Noted for compliance. Being Complied Attachment:NA

		as amended from time to time, shall be followed.		
5	AIR QUALITY MONITORING AND PRESERVATION	Volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.997% with effective chillers/modern technology. For emission control and management, use of FG/NG in heater as fuel, adequate stack height, use of Low NOX burners in heater & boiler, continuous stack monitoring, Sulphur recovery plant, etc. shall be installed/ensured.	PPs Submission	Noted for compliance and followed as applicable. Being Complied Attachment:NA
6	WATER QUALITY MONITORING AND PRESERVATION	Total water requirement for the proposed project shall not exceed 61 m3/hr to be met from Treated Sewage effluent from Mangalore Special Economic Zone Limited (MSEZL). Necessary permission in this regard shall be obtained from the concerned regulatory authority.	PPs Submission	Noted for compliance and followed as applicable Complied Attachment:NA
7	WATER QUALITY MONITORING AND PRESERVATION	Process effluent/any wastewater shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.	PPs Submission	Noted for compliance and followed as applicable. Being Complied Attachment:NA
8	WASTE MANAGEMENT	Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm, and solvent transfer to be done through pumps.	PPs Submission	Noted for compliance and followed as applicable. All Hazardous chemicals stored and handle in safe & secure manner. Complied Attachment:NA

9	WASTE MANAGEMENT	Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDF.	PPs Submission	Noted for compliance and followed as applicable. All Hazardous waste disposed to SPCB authorized vendor. Complied Attachment: Click to View
10	WASTE MANAGEMENT	Fly ash should be stored separately as per CPCB guidelines so that it should not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing along with the storm water. Direct exposure of workers to fly ash & dust should be avoided. The ash from boiler shall be sold to brick manufacturers/cement industry.	PPs Submission	Noted for compliance and followed as applicable. Being Complied Attachment:NA
11	WASTE MANAGEMENT	The company shall undertake waste minimization measures as below: - a. Metering and control of quantities of active ingredients to minimize waste. b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. c. Use of automated filling to minimize spillage. d. Use of Close Feed system into batch reactors. e. Venting equipment through vapour recovery system. f. Use of high pressure hoses for equipment clearing to reduce wastewater generation.	PPs Submission	Noted for compliance and followed as applicable. All waste minimization measures undertake during project stage. Complied Attachment:NA

12	GREENBELT	The green belt of 5-10 m width shall be developed in the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. The project proponent shall ensure 33% greenbelt area vis-a-vis the project area through afforestation in the degraded area. The Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department.	PPs Submission	Noted for compliance and followed as applicable. Being Complied Attachment:NA
13	Corporate Environmental Responsibility	The CER allocation shall be spent mainly for addressing the issues raised during public consultation/hearing including education/skill development/solar lights, etc., and shall be completed within 5 years. The amount proposed if any in CER shall be spent during execution of the project and shall not be linked with the CSR.	PPs Submission	Noted for compliance and followed as applicable. Being Complied Attachment:NA
14	AIR QUALITY MONITORING AND PRESERVATION	For the DG sets, emission limits and the stack height shall be in conformity with the extant regulations and the CPCB guidelines. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.	PPs Submission	Noted for compliance and followed as applicable. DG Sets emission and noise monitoring will carried out regularly as per CPCB guideline. Being Complied Attachment:NA
15	Risk Mitigation and Disaster Management	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.	PPs Submission	Noted for compliance and followed as applicable. Complied Attachment:NA

16	AIR QUALITY MONITORING AND PRESERVATION	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises. In case of the treated effluent to be utilized for Irrigation / gardening, real time monitoring system shall be installed at the ETP outlet.	PPs Submission	Noted for compliance and followed as applicable. All stack connected to CPCB/SPCB server for continuous online monitoring system. Complied Attachment:NA
17	Human Health Environment	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	PPs Submission	Noted for compliance and followed as applicable. Being Complied Attachment:NA
18	Risk Mitigation and Disaster Management	Process safety and risk assessment studies shall be further carried out using advanced models, and the mitigating measures shall be undertaken/implemented accordingly.	PPs Submission	Noted for compliance and followed as applicable. HAZOP, RRA and QRA etc. studies carried out before and after project completion. Being Complied Attachment:NA
19	WATER QUALITY MONITORING AND PRESERVATION	The PP should improve the efficiency of ETP Plant and the water discharge should be as per prescribed CPCB Norms. They should also install 24x7 hours monitoring system (of	PPs Submission	Noted for compliance and followed as applicable. Effluent monitoring system

		the discharge) and the same should be connected to the server of SCPB/CPCB.		connected to CPCB/SPCB server for continuous online monitoring system. Complied Attachment:NA
--	--	---	--	---

General Conditions

Sr.No.	Condition Heading	Condition Details	Status of Compliance,Remarks / Reason and Supporting Documents	
1	Statutory compliance	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	PPs Submission	Noted for compliance and followed as applicable. Complied Attachment:NA
2	ENERGY PRESERVATION MEASURES	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	PPs Submission	Noted for compliance and followed as applicable. Complied Attachment:NA
3	Noise Monitoring & Prevention	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control	PPs Submission	Noted for compliance and followed as applicable. Noise

		measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).		monitoring will be carried out regularly as per CPCB/SPCB guideline. Complied Attachment: Click to View
4	Corporate Environmental Responsibility	The company shall undertake all relevant measures for improving the socioeconomic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	PPs Submission	Noted for compliance and followed as applicable Being Complied Attachment:NA
5	Corporate Environmental Responsibility	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	PPs Submission	Noted for compliance and followed as applicable. Being Complied Attachment:NA
6	MISCELLANEOUS	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat,	PPs Submission	Noted for compliance and followed as

		Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.		applicable. Complied Attachment:NA
7	Statutory compliance	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	PPs Submission	Noted for compliance and followed as applicable. Compliance letter dated 28/12/2023 submitted to MoEFCC. Online Six monthly compliance report has been submitted on parivesh portal on 28.12.2023 Complied Attachment:NA
8	Statutory compliance	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	PPs Submission	Noted for compliance and followed as applicable. Compliance letter dated 26/09/2023 submitted to KSPCB. Form-5 is enclosed. Complied Attachment: Click to View
9	Statutory compliance	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the	PPs Submission	Noted for compliance and followed as applicable.

		clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.		Complied Attachment:NA
10	Statutory compliance	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	PPs Submission	Noted for compliance and followed as applicable. Being Complied Attachment:NA
11	MISCELLANEOUS	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	PPs Submission	Noted for compliance and followed as applicable. Complied Attachment:NA
12	MISCELLANEOUS	The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.	PPs Submission	Noted for compliance and followed as applicable. Complied Attachment:NA

13	MISCELLANEOUS	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	PPs Submission	Noted for compliance and followed as applicable. Complied Attachment:NA
14	MISCELLANEOUS	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	PPs Submission	Noted for compliance and followed as applicable. Complied Attachment:NA
15	MISCELLANEOUS	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.	PPs Submission	Noted for compliance and followed as applicable. Complied Attachment:NA
16	MISCELLANEOUS	This issues with the approval of the competent authority.	PPs Submission	Noted for compliance and followed as applicable. Complied Attachment:NA
17	MISCELLANEOUS	This has reference to your online proposal No. IA/KA/IND2/176690/2020 dated 01th October, 2020 for environmental	PPs Submission	Noted. Complied Attachment:NA

		clearance to the above mentioned project.		
18	MISCELLANEOUS	The Ministry of Environment, Forest and Climate Change has examined the proposal for environmental clearance to modernization Project at MRPL, Mangalore by M/s Mangalore Refinery and Petrochemicals Limited located at Kuthethoor / Bala Village, Mangalore, Karnataka.	PPs Submission	Noted. Complied Attachment:NA
19	GREENBELT	Existing land area is 1592 Acre; additional 0.82 Acre land will be used for proposed modernization project within the Refinery complex premises. The Industry has already developed greenbelt in an area 492 acre. Industry will develop greenbelt in an area of 33(% i.e. 525 acres out of 1592-acre area of the project. Industry will undertake compensatory afforestation; in case the land is not available for green belt development at existing industry premises. The estimated project cost is Rs. 415 Crores. Total capital cost earmarked towards environmental pollution control measures is Rs. 120 crores and the Recurring cost (operation and maintenance) will be about Rs. 10 crores per annum. Total Employment will be 10 persons as direct & 10 persons indirect after expansion. Industry proposes to allocate Rs. 3.11 crores @ of 0.75 % towards Corporate Environment Responsibility.	PPs Submission	Total project area of MRPL is around 1592 acres; Greenbelt area comprises of 54 types of tree species spread over 539 acres (33.8% Greenbelt area) including compensatory afforestation at Pilikula in 50 acres and at Bengre in 25 acres. Being Complied Attachment:NA

20	WATER QUALITY MONITORING AND PRESERVATION	Total water requirement for the proposed facilities is 61 m3/hr will be met from Treated Sewage effluent from Mangalore Special Economic Zone Limited (MSEZL). No additional river water is used for said proposed project. Effluent of 41 m3/hr quantity will be treated in existing Waste Water Treatment Plant (WWTP) with RO and recycled to existing cooling towers. No increase in total permitted treated effluent discharge of 446 m3/hr to Sea through a pipeline.	PPs Submission	Noted and followed as applicable. Complied Attachment:NA
21	MISCELLANEOUS	MRPL Modernization project includes the following facilities : • LPG Amine Treatment of 1365 KTPA capacity at PFCC Unit • Wet Gas scrubber of 2992 KTPA capacity at PFCC Unit • New Bitumen train of 144 KTPA capacity • CCR-1 regenerator revamp • Natural Gas facility of 1.2 MMCMD capacity - an alternative fuel / feed	PPs Submission	Noted and followed as applicable. CFE recieved. Being Complied Attachment:NA
22	ENERGY PRESERVATION MEASURES	The existing power requirement for normal operation of the refinery is 180 MW and 0.77 MW additional power will be required for the proposed project and will be met from existing captive power plants. Existing unit has 10 DG sets of 16,850 KVA capacity, no additional DG sets will be required as standby during power failure. Stack height as per CPCB norms have been provided for the existing DG sets. Steam requirement for the proposed project is 9.2	PPs Submission	Noted and followed as applicable. Complied Attachment:NA

		TPH and will be met from existing Boilers. No additional liquid/gas fired boilers will be installed.		
23	MISCELLANEOUS	The project/activity is covered under category A of items 4(a) – Petroleum Refining Industry and 5(c) - Petrochemical complexes of Schedule of Environmental Impact Assessment (EIA) Notification 2006 and requires appraisal at Central Level by Expert Appraisal Committee (EAC).	PPs Submission	Noted and followed as applicable. Complied Attachment:NA
24	MISCELLANEOUS	The proposal has been submitted under para 7(ii) (b) of MoEF&CC notification S .0. 3518 (E) dated 23.11.2016 for consideration without any ToR, Public hearing and EIA/EMP report. No litigation is pending against the proposal.	PPs Submission	Noted. Complied Attachment:NA
25	MISCELLANEOUS	The proposal was considered by the EAC in its 24th meeting held on 19th - October, 2020 in the Ministry, wherein the project proponent M/s. Mangalore Refinery and Petrochemicals Limited, presented made a detailed presentation on the salient features of the project..	PPs Submission	Noted. Complied Attachment:NA
26	MISCELLANEOUS	The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, have examined the proposal submitted by the Project Proponent in desired form along with EIA/EMP report prepared and submitted by the	PPs Submission	Noted. Complied Attachment:NA

		<p>Consultant accredited by the QCI/ NABET on behalf of the Project Proponent. The EAC noted that the Project Proponent has given undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the EIA/EMP report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.</p>				
27	MISCELLANEOUS	<p>The Committee noted that the EIA/EMP report is in compliance of the ToR issued for the project, reflecting the present environmental concerns and the projected scenario for all the environmental components. The Committee has found the baseline data and incremental GLC due to the proposed project within NAAQ standards. The Committee has also deliberated on the CER plan and found to be addressing the issues in the study area. Additional information submitted by the project proponent found to be satisfactory and addressing the concerns of the Committee. The EAC has deliberated the proposal and has made due diligence in the process as notified under the provisions of the EIA Notification, 2006, as</p>	<table border="1"> <tr> <td data-bbox="863 987 1125 1146">PPs Submission</td> <td data-bbox="1125 987 1356 1146">Noted. Complied Attachment:NA</td> </tr> </table>		PPs Submission	Noted. Complied Attachment:NA
PPs Submission	Noted. Complied Attachment:NA					

		amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC have found the proposal in order and have recommended for grant of Environmental Clearance (EC).		
28	Statutory compliance	The environmental clearance granted to the project/activity is strictly under the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe to approvals/consent/permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.	PPs Submission	Noted. Complied Attachment:NA
29	MISCELLANEOUS	Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for modernization project at MRPL, Mangalore by M/s Mangalore Refinery and Petrochemicals Limited	PPs Submission	Noted. Complied Attachment:NA

located at
Kuthethoor/Bala Village,
Mangalore, Karnataka,
under the provisions of
the EIA Notification,
2006, and the
amendments therein,
subject to compliance of
the terms and conditions
as under:-

Document uploaded by the PP

Last Site Visit Report (if available)

[Click to View](#)

Last Site Visit Report Date (if available)

12-10-2022

Additional Attachment (if any)

NA

Additional Remarks (if any)

- I 'Mangalore Refinery and Petrochemicals limited' hereby give undertaking that the data and information given in the filed compliance and enclosures are true to be best of my knowledge and belief and I am aware that if any part of the data and information found to be false or misleading at any stage, the clearance given to the project will be revoked at our risk and cost. In addition to above, I hereby give undertaking that no activity such as change in project layout, construction, expansion, etc. has been taken up without due approval.

Cover Letter From RO/SRO

Cover Letter From RO/SRO

NA

Back