LIMITED TENDERS FLOATED DURING THE MONTH JUNE 2009

SI.No.	PO No.	ITEM DESCRIPTION
1	AA0244	C-21 PUSH BACK COMPUTER CHAIR
2	AA0245	AQUA GUARD FILTER CUM PURIFIER CLASSIC MODEL
3	AA0246	TATA BP SOLAR HOME LIGHTING SYSTEM 270AH BATTERY/190 WP MODU
	AA0247	WATER STORAGE TANKS,DOUBLE LAYER,CCWS 200-01,2000 LTR,SINTEX
5	AA0248	LCD TV 21 INCH SONY/PANASONIC OR EQU
	AC0887	CONTAINER,SMALL,WITH LID,SIZE:7.0 CM DIA X 2.5 CM, NOS.3
7	AC0889	19" VIDEOCON OR EQUIVALENT LCD TVS
8	AC0890	BUTTER PAPER(REAM OF 7.3KG)
9	AF0019	HP OFFICE JET J3608 FAX MACHINE
10	ED0061	PIPE SEAMLESS A335 P11 SIZE 10 INCH SCH 40 BE B36.10
11	ED0062	CABLE, AL. CONDUCTOR, 1C X 16 SQMM,EXTRUDED PVC INSULATION,OVERALL PVC SHEATHED
12	ED0063	FLAT RING GASKET, B16.5/B16.21, IS2712 GR W/3 SIZE 2 INCH.150#, 2MM THK
13	ED0064	CON RED,AS,B16.9,BW ENDS,SCH40,A234 GR WP11 SIZE 12"X8"
14	ED0065	SS PIPE A312 TP321 SMLS SIZE 12 INCH SCH 80
15	ED0066	CONDENSATE SEAL POT, IBR, TAG NO.FA-45553
16	ED0067	PIPE SEAMLESS A106 GR B IBR SIZE 1 INCH SCH 80 PE
17	ED0068	FLANGE BLIND RTJ ASTM A 182 F321 B16.5 SIZE 2 INCH 900#
18	ED0069	CAP,SW, A182 F304 SIZE 3/4 INCH 3000# B16.11
	ED0070	FLANGE WN RTJ ASTM A182 GR F11 900# SIZE 14 INCH SCH40 B16.5
20	ED0071	PRESSURE REGULATING VALVE 1" 300#,SELF ACTUATING
21	ED0072	INTERNALS FOR PRODUCT OIL COALASCER(FA45508) AND PRODUCT OIL COALASCER
		PREFILTER(FD45502 A/B) INCLUDING COMM. & MANDATORY SPARES
	ED0073	COALASCER WATER PUMPS, TAG NO.GA45552 A/B
23	ED0074	FEED FILTER BACKWASH PUMPS(GA45555 A/B) WITH MOTORS, COMMISSIONING SPARES AND
		MANDATORY SPARES
		CAP BW ASTM A234 WPB IBR SIZE 3 INCH SCH80 B16.9
_		FLANGE WNRF ASTM A105 SIZE 6 INCH 150# SCH HVY
	ED0078	VALVE CHECK SWING TYPE FLGD RF A216WCB/TRIM HF IBR SIZE 10 INCH 150#
	IA0410	MIFARE 1KB CONTACTLESS SMART CARD
	ME2230	BATTERY ,GP300 IS,HNN8133CVHF SETS,1200 MAH NI-MH
29	ME2234	MOTOR,INDUCTION, INCREASED SAFETY(EX) ,22KW,3PHASE 4 POLE,FRAME -D200L.AS PER
		ANNEXURE ATTECHED

30	MI2843	PRESSURE TRANSMITTERS,SPECIFICATION AS PER ENCLOSED ANNEXURE
31	MI2846	DRAIN VALVE (BALL VALVE) OFF PP MATERIAL SIZE: 1/2" BSP FOR
32	MI2847	RADAR TYPE LEVEL TRANSMITTER, TAG NO- LT10815, AS PER SPECIFICATION
33	MI2851	ENCLOSURE WITH 2 PROXIMITY SENSORES AND MOUNTING BRACKET FOR ACTUATOR MODEL:
		VIRGO 2V150SR,AS PER SPECS
34	MI2852	CABLE THERMOCOUPLE I PAIR X 1.25 SQ.MM (EX)
35	MI2854	CONTROL VALVE AS PER SPECIFICATION TAG NO LV11410
36	MI2855	NON CONTACT, RADAR TYPE LT,TAG: LT-482_213,AS PER SPECS
37	MI2856	SMART POSITIONAER W/ SS MOUNTING BRACKET LINKAGE ASSEMBLY FOR ACTUATOR MDL:38-
		21125 AS PER SPEC.
38	MM6535	ELEMENT, 2 MICRON PT NO 050-11-DX FOR RECY GAS COMPRESSOR
39	MM6538	GASKET,SPW,SS304+GRAPH,,243 X 262 X 302 X 354 X 4.5,FOR BFP
40	MM6539	REDUCER CONCENTRIC BW ASTM A234 WPB IBR SIZE 4"X3-1/2" SCH 80/80
41	MM6542	THRUST MONITORING SYSTEM FOR SCREW COMPRESSOR AS PER THE SPECIFICATION
		REF.NO:MRPL/CM/AT/2009/2 ATTACHED
42	MM6544	BEARING TAPER ROLLER CUP AND CONE TIMKEN/NTN-4T-749A/742D
43	MM6545	TUBE BUNDLE FOR EA42005 AS PER DWG NO D-420-00-500A REV 3 & D-420-00-500B REV 2 AND
		ATTACHED SPECIFICATION
		STUD WITH 2 NUTS FOR EA2304,SIZE-1-1/2" UN8 X 400 LG,SA193 GR B16/SA194 GR 4
		ACID RESISTANT REFRACTORY CASTABLE POWDER(SILICAPLAST)
		2ND STG PISTON RING FOR GB1501
		BRASS ELECTRODES E214DC/ME 81,SIZE:3.15 X 4.00 MM
-		GASKET SPWD GRAPH SS304 IR 1548X1516X1488X4.5THK TYPE-2 EA41215
		ACCESSORIES FOR LIFTING BAG FOR 5 TONS AND 10 TONS
50	MM6559	SEAMLESS COLD DRAWN ALLOY STEEL TUBES, SA199 T5 , SIZE : 25 MM OD X 2.5 MM THK X 6000
		MM LENGTH
	MM6560	STOP PLATE, FOR DISCHARGE VALVE,P/N:60K7NB,FOR GB42304
	MM6561	BALL VALVE 12 X10" X 300 LBS
	MM6562	24 INCH CAP,BW,MOC-A403GRWP321, AS PER MRPL SPEC 00-ES-800-004-0
	MM6563	BOLT,SIZE-M12 X 60,FULL THREAD,A193 GR B8T,FOR DC2001/2/3
	MM6564	BURNER TILE SET OF 4 PIECES, PART NUMBER 1004650,ITEM NO 1 DWG B-BU-910030-601
56	MM6566	GATE VALVE SIZE:50MM, CLASS:1500, END CONNECTION:BW, BODY:WCB, TRIM:CR13HF HF,IBR
57	MM6567	BEND,OD 114.3MM X 8.56MM AW THK(R-1 OD,180 DEG),SA 335,GR W
		APER-LOCK BUSH,42MM BORE, 2012 KO,
	MM6579	GASKET CASING,SS INSERT W/GRAPHITE,SIZE:262 X 274 X 3MM

60	MM6580	GASKET FOR SHELL COVER,862X836X3THK IJA,TAG NO.EA41050
61		STUD W/2 NUTS B7/2H 1/2" X 3"
62		PORTABLE, ELECTRICALLY OPERATED, INSITU SAFETY VALVE GRINDING AND LAPPING
		MACHINE ALONG WITH NECESSARY ACCESSORIES (GRINDING HEADS, CLAMPING SETS,
		TOOLS, SELF ADHESIVE ABRASIVE PAPERS, ETC) AS PER THE SPECIFICATION SHEET
		ATTACHED, SIZE :25 MM TO 150MM
63	MM6584	SS PIPE ASTM A358 TP321 CL1 EFW BE SIZE 24 " 7.92 MM THK
64	MM6585	1-5/8" UN8X485 MM LONG STUD WITH TWO NUTS FOR EA2304A,MOC-ASTM A193 GR B16/A194 GR
		6
65	MM6588	24 INCH FLANGE,WNRF,MOCA182GRF321,RATING-300# ,AS PER MRPL SPEC 00-ES-800-005
66	MM6590	1"DIAX12"LENG.PURE PTFE BLACK ROD
67	MM6591	AIR STRAINER SCREEN P/N .434-61, FOR M/C. IR-2940 B2
68	MM6593	PORTABLE HIGH PRESSURE WATER JETTING MACHINE AS PER THE ATTACHED SPECIFICATION
69		GASKET P/N-G2 SPWD SS304+GRAPH FIL,EA42107-001,297X277X4.5T
		GASKET KAM PROF W/ GRAPHOIL SHEATH,PN:G2,EA2111-001,840X810X
	MM6596	
		SWIVEL, SIZE 6", 150#
73	MM6599	KAMMPROFILE GASKET(WITH GRAPHOIL SHEATH) FOR COMBINED FEED EXCHANGER,SS321
		WITH GRAPH,OUTER RING SS321 ,SIZE-16 INCH,1500#
		CAF GASKET OIL NON-MET GRAPHITED STY:429,1600X1600X1.50 MM T
75	OA0316	PROGRAMME OF CORROSION INHIBITOR IN PHASE-1 AND PHASE-2 CDU AND VISBREAKER
		UNITS.
76		PROGRAMME OF DEMULSIFIER IN CDU-1 & CDU-2.
77	OA0318	PROGRAMME OF DEMULSIFIER IN CDU-1 & CDU-2
78	OA0319	PROGRAMME OF CORROSION INHIBITOR IN CDU-1 & 2.
79	OA0320	PROGRAMME OF CORROSION INHIBITOR IN VISBREAKER 1 & 2 UNITS.
80	OB0101	PROGRAMME OF DEMULSIFIER IN CDU 1 & CDU 2
81	OD0141	UNLOADER DISPHRAGM PT NO. Z6-035823-001
82	OF0166	VALVE KEYS - F TYPE,SIZE - 12" (HARDENED & TEMPERED)
83	OF0167	CARBON, ACTIVATED, GRAN. GRADE ACG-50 OR EQUAL BASE MATL CO
84	OF0169	RIVER PEBBLES ,SIZE:30 - 50MM
85	OF0170	SODA ASH, 98.5 % PURITY AS PER IS-251/1982, IRON 70PPM,50 KG
86	OI0606	FOAM CHAMBER WITH VAPOR SEAL CHAMBER FOR PROTECTION OF FIXED ROOF TANK, INLET
		100NB AND OUTLET 200NB
87	SA0699	PALLET, SINGLE PIECE MOULDED,1200 X1000X150MM,PNR2/FP1210

88	SA0700	PAINT MARKER PEN-YELLOW COLOUR, CAMELIN, PRODUCT NO:97
89	SA0701	WOODEN DRUM FOR CABLE 2.5SQMM X 10C (1000MTR) ARMOUND PVC SHEATHED/PVC
		INSULATION
90	TD0503	CONDENSATE RECOVERY SYSTEM WITH PUMP AND FLASH VESSEL IN CDU1
91	TG1104	GLASS CUP FOR SEDIMENTS BY EXTRACTION AS PER ASTM D 473 TEST METHOD,
		SPECIFICATION ATTACHED
92	TG1105	GLASS BOTTLES, SAMPLING, WIDE MOUTH,500ML,TRANSPERANT
	TG1107	ACETIC ACID,GLACIAL AR,2.5 LTR,PURITY 99.5%
94	TG1108	BEAKERS,BOROSIL,CATNO.1000(CAP.1000 ML)
95	TG1109	PLASTIC VOLUMETRIC FLASK WITH STOPPER,TPX(PMP)MATERIAL,100ML,CLASS
		A,AUTOCLAVABLE
96	TG1110	CENTRIFUGE TUBE CYLINDRICAL, 100ML, 200MM HEIGHT AS PER THE ATTACHED
		SPECIFICATION
	TG1111	GAS TIGHT SYRINGE 100MICROLITRE NEEDLE 50MM SGE PART NO: 005250 OR EQUIVALENT
98	TG1113	TUBE 100ML TRACE SEDIMENT 8 INCH TIP GRADUATED TO 0.005MLAS PER ASTM D 2273 A PACK
		OF 6 TUBES STANHOPE SETA PART NO: 90060-0 OR PETROTEST PART NO: 13-1076
	WO No.	JOB DESCRIPTION
	JMM394	SUPPLY & APPLICATION OF HEAT RESISTANT ALUMINIUM PAINT SUITABLE FOR 250 DEGREE
		SUPPLY & APPLICATION OF HEAT RESISTANT ALUMINIUM PAINT SUITABLE FOR 250 DEGREE CENTIGRADE AT CPP-1 & 11 BOILERS AS PER THE ATTACHED ANNEXURES, TENDOR
1	JMM394	SUPPLY & APPLICATION OF HEAT RESISTANT ALUMINIUM PAINT SUITABLE FOR 250 DEGREE CENTIGRADE AT CPP-1 & 11 BOILERS AS PER THE ATTACHED ANNEXURES, TENDOR DOCUMENTS & INSTRUCTIONS OF EIC
2	JMM394 JMM396	SUPPLY & APPLICATION OF HEAT RESISTANT ALUMINIUM PAINT SUITABLE FOR 250 DEGREE CENTIGRADE AT CPP-1 & 11 BOILERS AS PER THE ATTACHED ANNEXURES, TENDOR DOCUMENTS & INSTRUCTIONS OF EIC OVERTIME CHARGES FOR SUPERVISOR IF REQUIRED
1	JMM394	SUPPLY & APPLICATION OF HEAT RESISTANT ALUMINIUM PAINT SUITABLE FOR 250 DEGREE CENTIGRADE AT CPP-1 & 11 BOILERS AS PER THE ATTACHED ANNEXURES, TENDOR DOCUMENTS & INSTRUCTIONS OF EIC OVERTIME CHARGES FOR SUPERVISOR IF REQUIRED MANPOWER CHARGES FOR CARRYING OUT ADDITIONAL JOBS NOT COVERED UNDER SCOPE
2 3	JMM394 JMM396 JMM397	SUPPLY & APPLICATION OF HEAT RESISTANT ALUMINIUM PAINT SUITABLE FOR 250 DEGREE CENTIGRADE AT CPP-1 & 11 BOILERS AS PER THE ATTACHED ANNEXURES, TENDOR DOCUMENTS & INSTRUCTIONS OF EIC OVERTIME CHARGES FOR SUPERVISOR IF REQUIRED MANPOWER CHARGES FOR CARRYING OUT ADDITIONAL JOBS NOT COVERED UNDER SCOPE OF WORK/SCOPE OF SUPPLY
2	JMM394 JMM396	SUPPLY & APPLICATION OF HEAT RESISTANT ALUMINIUM PAINT SUITABLE FOR 250 DEGREE CENTIGRADE AT CPP-1 & 11 BOILERS AS PER THE ATTACHED ANNEXURES, TENDOR DOCUMENTS & INSTRUCTIONS OF EIC OVERTIME CHARGES FOR SUPERVISOR IF REQUIRED MANPOWER CHARGES FOR CARRYING OUT ADDITIONAL JOBS NOT COVERED UNDER SCOPE OF WORK/SCOPE OF SUPPLY PATCH PLATE WELDING, MS/CS 10 MM PLATES, VARIOUS SIZES FROM 6" X 6" TO 54" X 41" ETC,
1 2 3	JMM394 JMM396 JMM397 JMM398	SUPPLY & APPLICATION OF HEAT RESISTANT ALUMINIUM PAINT SUITABLE FOR 250 DEGREE CENTIGRADE AT CPP-1 & 11 BOILERS AS PER THE ATTACHED ANNEXURES, TENDOR DOCUMENTS & INSTRUCTIONS OF EIC OVERTIME CHARGES FOR SUPERVISOR IF REQUIRED MANPOWER CHARGES FOR CARRYING OUT ADDITIONAL JOBS NOT COVERED UNDER SCOPE OF WORK/SCOPE OF SUPPLY PATCH PLATE WELDING, MS/CS 10 MM PLATES, VARIOUS SIZES FROM 6" X 6" TO 54" X 41" ETC, INCLUDING VACUUM TEST.
1 2 3 4 5	JMM394 JMM396 JMM397 JMM398 JMM399	SUPPLY & APPLICATION OF HEAT RESISTANT ALUMINIUM PAINT SUITABLE FOR 250 DEGREE CENTIGRADE AT CPP-1 & 11 BOILERS AS PER THE ATTACHED ANNEXURES, TENDOR DOCUMENTS & INSTRUCTIONS OF EIC OVERTIME CHARGES FOR SUPERVISOR IF REQUIRED MANPOWER CHARGES FOR CARRYING OUT ADDITIONAL JOBS NOT COVERED UNDER SCOPE OF WORK/SCOPE OF SUPPLY PATCH PLATE WELDING, MS/CS 10 MM PLATES, VARIOUS SIZES FROM 6" X 6" TO 54" X 41" ETC, INCLUDING VACUUM TEST. REMOVAL OF OLD RUBBER LINING & CLEANING AS PER INSTRUCTIONS OF EIC
1 2 3	JMM394 JMM396 JMM397 JMM398	SUPPLY & APPLICATION OF HEAT RESISTANT ALUMINIUM PAINT SUITABLE FOR 250 DEGREE CENTIGRADE AT CPP-1 & 11 BOILERS AS PER THE ATTACHED ANNEXURES, TENDOR DOCUMENTS & INSTRUCTIONS OF EIC OVERTIME CHARGES FOR SUPERVISOR IF REQUIRED MANPOWER CHARGES FOR CARRYING OUT ADDITIONAL JOBS NOT COVERED UNDER SCOPE OF WORK/SCOPE OF SUPPLY PATCH PLATE WELDING, MS/CS 10 MM PLATES, VARIOUS SIZES FROM 6" X 6" TO 54" X 41" ETC, INCLUDING VACUUM TEST. REMOVAL OF OLD RUBBER LINING & CLEANING AS PER INSTRUCTIONS OF EIC PROVIDING OFFICE MANAGEMENT SERVICES LIKE SCREENING OF APPLICATIONS AND DATA
1 2 3 4 5 6	JMM394 JMM396 JMM397 JMM398 JMM399 WAA240	SUPPLY & APPLICATION OF HEAT RESISTANT ALUMINIUM PAINT SUITABLE FOR 250 DEGREE CENTIGRADE AT CPP-1 & 11 BOILERS AS PER THE ATTACHED ANNEXURES, TENDOR DOCUMENTS & INSTRUCTIONS OF EIC OVERTIME CHARGES FOR SUPERVISOR IF REQUIRED MANPOWER CHARGES FOR CARRYING OUT ADDITIONAL JOBS NOT COVERED UNDER SCOPE OF WORK/SCOPE OF SUPPLY PATCH PLATE WELDING, MS/CS 10 MM PLATES, VARIOUS SIZES FROM 6" X 6" TO 54" X 41" ETC, INCLUDING VACUUM TEST. REMOVAL OF OLD RUBBER LINING & CLEANING AS PER INSTRUCTIONS OF EIC PROVIDING OFFICE MANAGEMENT SERVICES LIKE SCREENING OF APPLICATIONS AND DATA ENTRY INTO RECRUITMENT SOFTWAREIN RECRUITMENT & HR CELL OF MRPL.
1 2 3 4 5	JMM394 JMM396 JMM397 JMM398 JMM399	SUPPLY & APPLICATION OF HEAT RESISTANT ALUMINIUM PAINT SUITABLE FOR 250 DEGREE CENTIGRADE AT CPP-1 & 11 BOILERS AS PER THE ATTACHED ANNEXURES, TENDOR DOCUMENTS & INSTRUCTIONS OF EIC OVERTIME CHARGES FOR SUPERVISOR IF REQUIRED MANPOWER CHARGES FOR CARRYING OUT ADDITIONAL JOBS NOT COVERED UNDER SCOPE OF WORK/SCOPE OF SUPPLY PATCH PLATE WELDING, MS/CS 10 MM PLATES, VARIOUS SIZES FROM 6" X 6" TO 54" X 41" ETC, INCLUDING VACUUM TEST. REMOVAL OF OLD RUBBER LINING & CLEANING AS PER INSTRUCTIONS OF EIC PROVIDING OFFICE MANAGEMENT SERVICES LIKE SCREENING OF APPLICATIONS AND DATA ENTRY INTO RECRUITMENT SOFTWAREIN RECRUITMENT & HR CELL OF MRPL. SERVICE CONTRACT TO CATER TO MRPL LABOUR CANTEEN AND ALSO TO SERVE FOOD & TEA
1 2 3 4 5 6	JMM394 JMM396 JMM397 JMM398 JMM399 WAA240	SUPPLY & APPLICATION OF HEAT RESISTANT ALUMINIUM PAINT SUITABLE FOR 250 DEGREE CENTIGRADE AT CPP-1 & 11 BOILERS AS PER THE ATTACHED ANNEXURES, TENDOR DOCUMENTS & INSTRUCTIONS OF EIC OVERTIME CHARGES FOR SUPERVISOR IF REQUIRED MANPOWER CHARGES FOR CARRYING OUT ADDITIONAL JOBS NOT COVERED UNDER SCOPE OF WORK/SCOPE OF SUPPLY PATCH PLATE WELDING, MS/CS 10 MM PLATES, VARIOUS SIZES FROM 6" X 6" TO 54" X 41" ETC, INCLUDING VACUUM TEST. REMOVAL OF OLD RUBBER LINING & CLEANING AS PER INSTRUCTIONS OF EIC PROVIDING OFFICE MANAGEMENT SERVICES LIKE SCREENING OF APPLICATIONS AND DATA ENTRY INTO RECRUITMENT SOFTWAREIN RECRUITMENT & HR CELL OF MRPL. SERVICE CONTRACT TO CATER TO MRPL LABOUR CANTEEN AND ALSO TO SERVE FOOD & TEATO VARIOUS LOCATIONS OF THE REFINERY FOR CONTRACT LABOURS AS PER TENDER
1 2 3 4 5 6	JMM394 JMM396 JMM397 JMM398 JMM399 WAA240	SUPPLY & APPLICATION OF HEAT RESISTANT ALUMINIUM PAINT SUITABLE FOR 250 DEGREE CENTIGRADE AT CPP-1 & 11 BOILERS AS PER THE ATTACHED ANNEXURES, TENDOR DOCUMENTS & INSTRUCTIONS OF EIC OVERTIME CHARGES FOR SUPERVISOR IF REQUIRED MANPOWER CHARGES FOR CARRYING OUT ADDITIONAL JOBS NOT COVERED UNDER SCOPE OF WORK/SCOPE OF SUPPLY PATCH PLATE WELDING, MS/CS 10 MM PLATES, VARIOUS SIZES FROM 6" X 6" TO 54" X 41" ETC, INCLUDING VACUUM TEST. REMOVAL OF OLD RUBBER LINING & CLEANING AS PER INSTRUCTIONS OF EIC PROVIDING OFFICE MANAGEMENT SERVICES LIKE SCREENING OF APPLICATIONS AND DATA ENTRY INTO RECRUITMENT SOFTWAREIN RECRUITMENT & HR CELL OF MRPL. SERVICE CONTRACT TO CATER TO MRPL LABOUR CANTEEN AND ALSO TO SERVE FOOD & TEA TO VARIOUS LOCATIONS OF THE REFINERY FOR CONTRACT LABOURS AS PER TENDER DOCUMENT ATTACHED ALONGWITH
1 2 3 4 5 6	JMM394 JMM396 JMM397 JMM398 JMM399 WAA240	SUPPLY & APPLICATION OF HEAT RESISTANT ALUMINIUM PAINT SUITABLE FOR 250 DEGREE CENTIGRADE AT CPP-1 & 11 BOILERS AS PER THE ATTACHED ANNEXURES, TENDOR DOCUMENTS & INSTRUCTIONS OF EIC OVERTIME CHARGES FOR SUPERVISOR IF REQUIRED MANPOWER CHARGES FOR CARRYING OUT ADDITIONAL JOBS NOT COVERED UNDER SCOPE OF WORK/SCOPE OF SUPPLY PATCH PLATE WELDING, MS/CS 10 MM PLATES, VARIOUS SIZES FROM 6" X 6" TO 54" X 41" ETC, INCLUDING VACUUM TEST. REMOVAL OF OLD RUBBER LINING & CLEANING AS PER INSTRUCTIONS OF EIC PROVIDING OFFICE MANAGEMENT SERVICES LIKE SCREENING OF APPLICATIONS AND DATA ENTRY INTO RECRUITMENT SOFTWAREIN RECRUITMENT & HR CELL OF MRPL. SERVICE CONTRACT TO CATER TO MRPL LABOUR CANTEEN AND ALSO TO SERVE FOOD & TEA TO VARIOUS LOCATIONS OF THE REFINERY FOR CONTRACT LABOURS AS PER TENDER DOCUMENT ATTACHED ALONGWITH PREPARATION OF BOQ, TENDER, DOCUMENTS, SPECIFICATION & ESTIMATION FOR THE "
1 2 3 4 5 6	JMM394 JMM396 JMM397 JMM398 JMM399 WAA240	SUPPLY & APPLICATION OF HEAT RESISTANT ALUMINIUM PAINT SUITABLE FOR 250 DEGREE CENTIGRADE AT CPP-1 & 11 BOILERS AS PER THE ATTACHED ANNEXURES, TENDOR DOCUMENTS & INSTRUCTIONS OF EIC OVERTIME CHARGES FOR SUPERVISOR IF REQUIRED MANPOWER CHARGES FOR CARRYING OUT ADDITIONAL JOBS NOT COVERED UNDER SCOPE OF WORK/SCOPE OF SUPPLY PATCH PLATE WELDING, MS/CS 10 MM PLATES, VARIOUS SIZES FROM 6" X 6" TO 54" X 41" ETC, INCLUDING VACUUM TEST. REMOVAL OF OLD RUBBER LINING & CLEANING AS PER INSTRUCTIONS OF EIC PROVIDING OFFICE MANAGEMENT SERVICES LIKE SCREENING OF APPLICATIONS AND DATA ENTRY INTO RECRUITMENT SOFTWAREIN RECRUITMENT & HR CELL OF MRPL. SERVICE CONTRACT TO CATER TO MRPL LABOUR CANTEEN AND ALSO TO SERVE FOOD & TEA TO VARIOUS LOCATIONS OF THE REFINERY FOR CONTRACT LABOURS AS PER TENDER DOCUMENT ATTACHED ALONGWITH

9	WAC570	PREPARATION OF FURNITURE LAYOUT, BOQ, TENDER DOCUMENTS, SPECIFICATIONS &
		ESTIMATION FOR THE PROJECT " NEW DATA CENTRE BUILDING AT MRPL"
10	WAC571	ANNUAL MAINTENNANCE CONTRACT FOR OUR PLASMA DISPLAY PANEL AT BOARD ROOM AND
		CONFERENCE HALL AT ADMINSTRATION BLOCK
11	WAC573	FSMA FOR PHOTOCOPIER MACHINES INSTALLED AT YARD BUILDING AND RECRUITMENT DEPT.
		TOSHIBA MAKE MODEL E-STUDIO282 TOTAL -2 NO.
12	WAC574	RECONDITIONING OF FOAM TENDER VOLV CHASSIS KA-19-A-7079 (2002 MODEL) AS PER
		ATTACHED ANNEXURE
13	WAD057	HIRING OF CARS FOR COMPANY'S SENIOR EXECUTIVE/GUESTS WHILE ON OFFICIAL TOUR TO
		MUMBAI
14	WAF026	PROVIDING 1 SECURITY SUPERVISOR AND 6 SECURITY GUARDS AND 1 GUNMAN FOR SECURITY
		SERVICES AT BANGALORE OFFICE
15	WED078	EXTRA COPPER TUBING, ELECTRICAL WIRING, PLUMBING BEYOND STANDARD LENGTH
16	WIA376	PROVIDING SERVICES OF LIFTING AND SHIFTING OF COMPUTER AND OTHER HARDWARE,
		CONNECTING/DISCONNECTING OF CABLES, CLEANING AND OTHER COMPUTER RELATED JOBS
17	WIA378	PROVIDING DOCUMENTION SERVICE AS PER SCOPE OF WORK
18	WMC679	SUPPLYING & FIXING IN POSITION 8 MM THICK WOODEN FLOORING USING WITH 1 1/2" X 3"
		HARD WOOD FOR MAKING THE SUPPORTS & COVERING THE TOP WITH 18MM THICK
		COMMERCIAL PLY WOOD. INCLUDING MAKING FLOOR LEVEL UNIFORM SURFACES AT BOTTOM
		PORTION, ETC. ALL COMPLETE
19	WMC680	SUPPLYING AND FIXING IN POSITION OF 750MM DIA RAZOR / PUNCHED TAPE CONCERTINA
		SPIRAL COIL HAVING CORE WIRE OF 2.6 MM DIA MADE OF HIGH CARBON SPRING STEEL OF
		HIGH TENSILE STRENGTH AS PER IS-4454 PART-I GRADE-II HAVING MINIMUM GALVANISING
		COATING THICKNESS
20	WMC681	CIVIL WORKS REQUIRED TO FIX THE CONCERTINA RAZOR SPIRAL COIL ON THE COMPOUND
		WALL OF MRPL, FOR SUPPLY AND FIXING OF Y SHAPED IS ANGLES 50X50X6 INCLUDING
		NECESSARY GROUTING IN THE WALL, INCLUDING REMOVAL OF EXISTING COPING INCURRED
		WITH GLASS PIECE, AND RE
21	WQA293	TO PROVIDE AMC FOR THE EQUIPEMENTS (LIST ATTACHED) INSTALLED AT MRPL HIQ RETAIL
		OUTLET AT MADDUR
22	WQA295	PROVIDING SERVICES FOR DOCUMENTATION / INVOICING AND OTHER SALES RELATED OFFICE
		JOBS AS PER ANNEXURE
23	WSA105	TO PROVIDE SERVICES FOR SEGREGATING, CLEANING, OF SPENT CARBON, SPENT
		CATALAYSTS ACCUMULATED AT VARIOUS LOCATIONS AT REFINERY SITE.

24	WSA106	SPRAY PAINTING OF EXTERNAL/INTERNAL SURFACE OF COMPACTORS BY APPLYING/SPRAYING ONE COAT MASTIC 100 MICRON DRY FILM THICKNESS (DFT), FOR FINISH SPECIFICATION AS
		ONE COAT OF ACRYLIC POLYURETHANE ALIPHATIC CURED, 40 MICRONS DRY FILM THICKNESS (DFT) IVORY COL
25	WTB059	DESIGN, ENGINEERING, SUPPLY, ERECTION AND COMMISSIONING OF PRODUCT TRANSFER CONVEYOR SYSTEM FROM SULFUR PASTILLATION UNIT
26	WTC161	RADIOGRAPHY, WFMPI & HARDNESS MEASUREMENT OF WELD SEAMS AS PER ATTACHED SCOPE OF WORK & SPECIFICATIONS
27		ULTRASONIC FLAW DETECTION AND DOCUMENTATION FOR WELDING, EQUIPMENT & PIPELINES AS PER ANNEXURE-B
28	WTH088	TACKLING OF OIL SPILL CRISIS IN REFINERY AREA AS PER INSTRUCTION OF ENGINEER-IN- CHARGE