

LIST OF LIMITED TENDERS FLOATED DURING MARCH 2009

INDENT NO.	ITEM DESCRIPTION
AC0868	NOTICE BOARD,WITH GLASS SHUTTER,SIZE:4' X 3'
AC0869	PHOTOCOPY M/C WITH MINIMUM 20CPM B/W AND 20CPM COLOUR WITH
AC0870	CUPBOARD WITH LOCK AND KEY - 4.1/2'
AC0871	CHAIR,PCH 7001,,GODREJ
AC0872	CHAIR,PCH 7001,,GODREJ
AC0873	CHAIR,PCH 7001,,GODREJ
AC0874	CUP & SAUCER,FINE BONE CHINA,125/120 ML CAPACITY,CLAY CRAFT
AC0875	HOT AND COLD DRINKING WATER DISPENSERS
AC0877	BATTERY, 13 PLATE, 75 AH, 12 VOLTS
EC0039	CABLE,COPPER FRLS,3C X 2.5 SQMM,1100V,ARMOURED,PVC SHEATHED
EC0040	AUTOCAD 2009 NETWORK VERSION SOFTWARE WITH ONE YEAR AUTODESK SUBSCRIPTION
ED0056	REACTOR FEED PUMP (TAG NO. - GA45551) WITH MOTOR
ED0057	PRODUCT OIL PUMPS WITH MOTORS(GA45553 A/B)
MA0021	GREEN GLASS CHALK BOARDS, SIZE 7' X 4', WITH ALU FRAMFE
MA0022	OPTICS KIT FOR DEMONSTRATING BASIC CONCEPTS OF OPTICS SUCH AS REFLECTION,REFRACTION,IMAGE FORMATION,TOTAL INTERNAL REFELCTION ETC
MA0023	GREEN CHALK BOARDS, SIZE 7' X 4', WITH ALU FRAMFE
ME2184	ELCB, 2 POLE, 25-AMPS, TYPE:100MA
ME2186	3-LEG STANDARD MECHANICAL BEARING PULLER JAW TYPE. WIDTH 300MM,EFFECTIVE LENGTH OF ARMS 240MM, MAXIMUM WITHDRAWAL FORCE 50.0KN EQUIVALENT TO TMMP 3X300 (SKF)
ME2187	ENCLOSURE WITH DRY TYPE 500VA,SINGLE PHASE TRANSFORMER 0-110
ME2188	FOUNDATION BOLT,J TYPE,EN8,M24X750MM LG,W/TEMPLATE
ME2190	PVC INSULATED VINYL RUBBER MAT 3MM THICK FOR 33KV,1M WIDTH,I
ME2191	POWER SUPPLY UNIT W BATTERY BACKUP SUITABLE FOR GM300 MOT
ME2192	LT 415V SWITCHGEAR PANEL FOR DRINKING WATER PUMPHOUSE AS PER ANNEXURE
ME2193	FREON R-22REFRIGERANT GASCYLINDER,61 KG CAPACITY,W/FREON GAS
ME2196	SAFE & CLEAN, ORANGE BASED HAND CLEANER, 4.5KG TIN
ME2197	16WAY DOUBLE DOOR LIGHTING DISTRIBUTION BOARD WITH 1 NO OF ELMCB 63A/300MA,3 NOS EACH OF SP MCB'S OF RATING 6A,10A AND 16A WITH 1 NO FORK BUSBAR TP.
ME2199	415V LT DRAW OUT TYPE SWITCHGEAR FOR FLARE OWS AS PER ANNEXURE
ME2200	415V LT DRAW OUT TYPE SWITCHGEAR FOR NITROGEN OWS AS PER ANNEXURE
MI2790	CURRENT REPEATER FOR HART COMPATIBLE TRANSMITTER

MI2792	MEAN TEMPERATURE SENSOR MODEL ATM-1142 ELEMENT PT100
MI2793	ONLINE ORP METER WITH SENSOR,SUPPLY 24 VDC,OUTPUT:2 WIRE,4-20MA
MI2795	NON CONTACT TYPE RADAR LEVEL TRANSMITTER FOR SHL TANK LEVEL MEASUREMENT AS PER SPECIFICATION SHEET ATTACHED.
MI2798	DP TRANSMITTERS FOR SAND/CARBON FILTERS IN ETP2,AS PER SPEC ENCLOSED
MI2799	RADAR LT WITH CHAMBER FOR LT20003
MI2800	JUNCTION BOX
MI2806	DIAPHRAGM SEAL PRESSURE TRANSMITTER AS PER SPEC ENLCOSED
MI2807	PORTABLE PRESSURE CALIBRATOR.SPECIFICATIONS AS PER ANNEXURE
MI2809	AUXILARY RELAY FOR LOCAL PANELS,OMRON,MDL:MY4NDC110V,110V DC
MI2810	DISPLACER TYPE INTERFACE LEVEL TRANSMITTER WITH CHAMBER,CC : 356 MM, TAG NO: LT 455208,SPECIFICATION AS PER ENCLOSED ANNEXURE.
MM6112	ELBOW 45 DEG,SW A182 GR F11 SIZE 1 INCH 3000#
MM6364	BEARING KIT,WINCH P/N:MH1100P404F2
MM6404	HOT ROLLED STEEL PLATE A516 GRADE -60/70, 2M X 10M X 12MM
MM6407	TUBE,CS SMLS,COLD DRAWN 19MM OD,2.11THK,6MTR LONG,SA179
MM6410	GASKET KAM PROF W/ GRAPHOIL SHEATH,PN:G4,EA2111,1062X1032X4T
MM6411	SPRING SUPPORT , FOR DA1001 PSV O/L LINE - TYPE E , SIZE - 6A , AS PER ATTACHED SPECIFICATION
MM6412	8" 600# FLGD.PLUG VALVE,W/GEAR OPERATED,ASTM A216 GR.WCB
MM6413	VALVE BUTTERFLY WAFER TYPE A216WCB/EPDM SIZE 8"150#
MM6414	32MM NOMINAL DIA ,SS 304 CORRUGATED HOSE WITH SS WIRE BRAIDING,HAVING FLANGE END CONNECTIONS ON BOTH ENDS.(AS PER DRAWING MRPLI-083-44-3-1909) FOR NITROGEN UNLOADING.LENGTH -4000MM,DESIGN PRESSURE OF 40 BAR.
MM6417	LOVEJOY SPIDER FOR RRL 110 (L-110), TYPE COUPLING OR EQU
MM6418	MS RECTANGULAR HALLOW, 50X25MM,4.0MM THICK,IN 4 M LENGTH
MM6419	EMERY CLOTH ROLLS DRILL 38 MM 50 M - MEDIUM,CARBORUNDAM
MM6420	VALVE CHECK DUAL FLAP TYPE A216 GR B /API594 SIZE 3" 300#
MM6421	ANABOND-115 ,50 ML BOTTLE
MM6422	M.S PLATE IS:2062 GR.A 10MM THK X 1500 X 6300
MM6423	S.S 304 PLATE 10MM
MM6426	INSULATING CASTABLE - INSULYTE 11
MM6427	TARPAULINE, SILPAULIN, SIZE:30 FEET X 27 FEET,150 GSM WEIGHT
MM6429	STUD BOLT W/2 NUTS M20 X 250MM LENGTH
MM6432	ANTISIEZE COMPOUND OKS P.NO. 240 (250 GM PACK)
MM6436	CHAIN 2-1/2" PITCH,40LINKS,GD47322 A/B (API)

MM6439	BEARING ISOLATOR ID-45,OD-75 WIDTH -16MM
MM6440	CORTEN STEEL TUBES,63.5MM OD, 2.3MM THK.,5.206 MTR. LG.
MM6442	GASKET SET,PUMP TAG NO.GA41013A/B, MODEL RPKHM80-315
MM6443	GASKET IJA 352X3004 FLOATING HDR 03-EA-LP-001
MM6446	1 1/2"X150# FLANGE WITH CHICAGO COUPLING
MM6447	PTFE COATED STUDS W/2 NUTS, 5/8"X4";COATING THK:25 MICRONS
MM6449	NUT,MOC-A194 GR 2H,SIZE-M82X4 PITCH
MM6450	CHAIN 5/8"PITCH X 3.1MTR FOR BITUMEN DRUM FILLING UNIT
MM6451	STUD W/2 NUTS, A453 GR660/GR660 SIZE: 1-1/4" X 11"
MM6453	TEFLON SHEET 1000MMX1000MMX1.5 MM THK
OA0307	MULTI FUNCTIONAL ADDITIVE FOR GASOLINE - HITEC 6560 (182 KG
OA0309	LUBRICITY IMPROVER-SR2008 F/ULHSD(ULTRA LOW SULPHUR)OR EQUAL
OD0140	METHOKLONE (METHYLENE DI CHLORIDE) CH2CL2 UN 1593,250/270 KG
OF0163	SODA ASH, 98.5 % PURITY AS PER IS-251/1982, IRON 70PPM,50 KG
OI0597	DISCHARGE HORN SUITABLE FOR CO2 4.5,6.5 & 22.5KG FIRE EXTINGUISHER
OI0598	NITROGEN CYLINDER PAINTING AND HYDROTESTING
OI0600	PORTABLE FIRE WATER PUMP
QA0168	SUPPLY OF MISCELLANIOUS ITEMS AS PER ENCLOSED BOQ FOR MRPL RETAIL OUTLETS.
SA0696	TARPAULIN, SILPAULIN, MIN. 200 GSM., SIZE: 18' X 24'
TC0056	DIGITAL CAMERA WITH ACCESORIES AS PER ATTACHED SPECIFICATION
TD0488	PIPE SEAMLESS A106 GR B IBR SIZE 1 INCH SCH 80 PE
TD0489	CAP, SW ASTM A105 IBR SIZE 1/2" 3000#
TD0490	FLANGE BLIND RF ASTM A105 IBR SIZE 3 INCH 150#
TD0491	STEAM TRAP 1/2" SW TD3- SPIRAX MARSHAL MAKE
TD0492	VALVE GATE FLGD RF A216 GR WCB TRIM13CR IBR SIZE 4 INCH 150#
TD0493	GASKET,SPWD CS OR SS304+GRPH, SIZE 3 INCH X 150#
TD0494	STUD W/2 NUTS B7/2H 1/2" X 2.1/2"
TD0495	VALVE BUTTERFLY FLANGED 34"150#, BODY & DISC - A216
TD0496	FLANGE, WNRF ASTM A105 AS PER B16.47 SERIES B, 34 INCH 150# 10MMTHK
TD0497	FLANGE BLIND RF ASTM 105 SIZE 10 INCH 150#
TD0498	VALVE, HAMMER BLIND RF A216 WCB TRIM 13 CR SIZE:6" X 150# NA
TE0118	PAPER ROLL, 85 GSM,SIZE:AA0, 915MM X 150MTRS, INTER SPOOL:3
TG1090	1-METHYL-2-PYROLIDONE, EXTRA PURE, 500ML
TG1091	HOT AIR OVEN, DIGITAL TEMPERATURE CONTROLLED, SIZE (LENGTH 14 INCHES, HIGHT 14 INCHES AND WIDTH 14 INCHES) WITH A TOLERANCE LIMIT OF 0.5 INCHES AND AS PER THE ENCLOSED TECHNICAL SPECIFICATIONS

JWS NO.	JOB DESCRIPTION
JME591	EARTH RESISTANCE MEASUREMENT AT TEST POINTS OF ALL TANKAGES AND STRUCTURES IN REFINERY,OFFSITES,JETTY,APMC YARD AND SARAPADY AND SUBMITTING A DETAILED EARTH RESISTANCE REPORT ALONG WITH OBSERVATIONS .
JMM231	OVERHAULING AND TESTING OF AIR COOLER STRICTLY AS PER THE TENDER ENQUIRY SPECIFICATIONS, SOR AND INSTRUCTION OF EIC
JMM343	CARRY OUT BLINDING, OPENING,CLEANING,REMOVAL OF TRAYS,BAFFLES TRAYS,DEMISTER PAD,RANDOM PACKING ,PRESSURE TESTING AND DEBLINDING OF COLUMNS STRICTLY AS PER TENDER ENQUIRY, SOR AND INSTRUCTION OF EIC.
JMM361	ANNUAL RATE CONTACT FOR HDPE WELDING AS PER ATTACHED ANNEXURES & INSTRUCTIONS OF EIC.
JMM364	BLINDING, OPENING, CLEANING , INTERNAL REPAIR & TRAY LEAK TESTING OF ISOM UNIT COLUMNS AS PER THE TENDER
JMM365	OPENING , CLEANING , PRESSURE TESTING OF ISOM UNIT VESSELS DURING SHUT DOWN AS PER DETAILED SCOPE OF WORK OF THE TENDER
JMM366	PATCH PLATE WELDING, MS 10 MM PLATES, VARIOUS SIZES FROM 6" X 6" TO 54" X 41", INCLUDING VACUUM TEST
JMM367	MAINTENANCE OF COLUMNS IN SRU 1/2/3, ATU 1/2 AND SWS 1/2 DURING SRU - 3 SHUTDOWN IN APR 2009/ MARCH 2010 AS PER ANNEXURE.
JMM369	INSULATION OF STG-2 AS PER ATTACHED SPECIFICATION-MRPL/CREG/STG/INS/01
JMM370	HEAD COVER GASKET REPLACEMENT & HYDROTESTING OF FIN FAN COOLERS EC42601 A & B IN SWS-2 UNIT .DETAILS AS PER THE TENDER.
JMM371	BLINDING OF NOZZLES,OVERHAULING,CLEANING,HYDROBLASTING,HYDROTESTING,DEBLINDING AND HOT BOLTING OF HEAT EXCHANGERS SWS1/2 & ATU 1/2 DURING SHUTDOWN AS PER OPTION A OR OPTION B OR OPTION C OF SOR AND SCOPE OF WORK ATTACHED.
JMM372	BLINDING , HYDROTESTING & DE-BLINDING OF CRITICAL LINES IN CCR-2 DURING SHUTDOWN AS PER ATTACHED TENDER ENQUIRY AND DETAILED SCOPE OF WORK
JMM373	CDU/VDU/NSU/KSU HEATERS/APH HEATERS & OVERHEAD LINES (NSU SPLITTER/KSU SPLITTER/FLAIR KOD/FIN FAN COOLER/ CDU & VDU COLUMN TRANSFER LINES) EXTERNAL PAINTING WORK IN CDU 11 DURING MAY-DECEMBER 2009 SHUTDOWN AS PER ATTACHED TENDER ENQUIRY AND DETAILED S
JMM374	PAINTING OF VESSELS, EQUIPMENTS , PIPELINES AND STRUCTURES IN CDU 11 UNITS DURING SHUTDOWN MAY-DECEMBER 2009 AS PER ATTACHED TENDER ENQUIRY AND DETAILED SCOPE OF WORK

JMM376	MECHANICAL JOBS FOR HUDSON COOLER EC2001(8 BUNDLES) AS PER SCOPE OF WORK OF TENDER -INLET/OUTLET FLANGES BLINDING, PLUG OPENING, BOX UP, HYDROTEST, DE-BLINDING OF INLET/OUTLET FLAGES ETC
WAC544	HANDLING OF INTERNAL AND EXTERNAL DAKS AND DISTRIBUTION AS PER ENCLOSED ANNEXURE
WAC545	ATTENDING BLOCKED SEWAGE PIPE LINE THROUGH CHAMBERS
WAC546	REMOVAL OF SCRAPS SUCH AS METAL / NON METAL, LYING AT THE ENTIRE PLANT AND NON PLANT AREA OF PH-1 & PH-2, SEGREGATING OF THE METAL SCRAP & HANDING OVER TO STORES, SEGREGATING THE NON METAL SCRAP AND DUMPING AT YARD 4 K.M. AWAY EVERY DAY EXCEPT ON SUNDAY/
WAC548	PROVIDING SERVICES OF TYRE RETREADING FOR COMPANY OWNED VEHICLES AS PER ANNEXURE ENCLOSED
WAC550	ANNUAL RATE CONTRACT FOR PROVIDING COURIER SERVICES TO OPERATE BETWEEN (1) MANGALORE AND ALL PLACES IN INDIA (2) MANGALORE AND ALL INTERNATIONAL CITIES AS PER ATTACHED ANNEXURE
WAC551	FOGGING AT MRPL TOWNSHIP ON MONTHLY BASIS FOR JAN TO MAY, SEPT. TO DEC, AND ONCE IN FIFTEEN DAYS DURING JUNE TO AUG. CONTRACTOR HAS TO ARRANGE OPERATOR, CHEMICALS FOGGING MACHINE, JEEP MOUNTED, DIESEL / PETROL ETC.
WAF024	PEST CONTROL SERVICES AT BANGALORE OFFICE & GUEST HOUSE (ABSHOT LAYOUT)
WED071	ONSITE ENGINEERING ACTIVITIES (UPTO 5 DAYS) FOR ERECTION, REPAIR AND START-UP OPERATIONS OF FEED FILTER PACKAGE (FD45551) AT MRPL, MANGALORE , INDIA
WED073	CIVIL/STRUCTURAL/MECHANICAL/PIPING WORKS FOR HSD/MX TANKAGES AND MX COASTAL TRANSFER PUMP
WED074	CONSTRUCTION OF PIPING PEDASTALS FOR NEW HSD,MX TANKS AND FOUNDATION FOR COASTAL TRANSFER PUMP INCLUDING DISMANTELING OF EXISTING OLD OM&S BUILDING ALL AS PER ENCLOSED BILL OF QUANTITIES, TECHNICAL SPECIFICATIONS, M.R.P.L.'S STANDARD GENERAL TERMS & CONDIT
WIA371	AMC FOR PRINTERS, SCANNERS & PLOTTER AT MRPL MANGALORE SITE, AS PER THE LIST & SCOPE OF WORK ATTACHED.
WMC663	SUPPLYING & LAYING OF 175MM THICK WATER BOUND MACADAM IN 2 LAYERS AND 50 MM THICK BITUMINIOUS MACADAM ALONG WITH 10MM THICK SEAL COAT AS PER ENCLOSED BOQ, SPECIFICAIONS, SPECIAL TERMS & CONDITIONS OF CONTRACT AND AS DIRECTED BY EIC.

WMC664	PROVIDING AND FIXING OF GLAZED TILES (SKY BLUE COLOR) OF 300X300MM SIZE (NAVEEN/KAJARIA/ NITCO MAKE) IN 1:4 MORTAR OR WITH APPROVED TILE ADHESIVE INCLUDING PRESSURE GROUTING (USING FOSROCK WATER PROOFING COMPOUND) MANPOWER, TOOLS, TACKELS, MATERIAL TRANS
WMI283	ADDITIONAL TREATMENT AT SINGLE POINT ON EMERGENCY CALL THE TREATMENT SHALL BE DONE ON THE SAME DAY OF THE CALL.
WMI287	SERVICING OF MIL AND ABB CONTROL VALVES OF HYDROCRACKER#2 AND HYDROGEN#1 UNITS.PLEASE REFER ANNEXURE 1 FOR DETAIL SCOPE OF WORK AND ANNEXURE 2 FOR CONTROL VALVES LIST
WOE207	PROVIDING SERVICE FOR HELPING IN OIL SKIMMING IN SURGE PONDS API, TPI, EQ. PONDS AND OTHER EQUIPMENTS, PUMP FILTER CLEANING, PUMP CHANGEOVERS, EQUIPMENT LINING UP, PUMP HOUSE CLEANING, SLUGE REMOVAL, OIL SPILL REMOVAL, CLEANING THE PATHWAYS, FREE OF GRASS
WOE208	TO CALIBRATE THE STORAGE TANK FB7003C AS PER ATTACHED SCOPE OF WORK
WQA284	OPERATION & MAINTENANCE OF MRPL OWNED TANK TRUCK
WQA288	MONITORING /SURVEY OF PIPELINE TRANSFER (PLT) FROM MRPL TO IMC TERMINAL AT NMPT AS PER DETAILS GIVEN AND AS PER INSTRUCTION OF ENGINEER IN CHARGE
WQA289	PAINTING OF OLD BITUMEN /FO TRUCK LOADING BAY (6 BAYS) , ESTIMATION FOR THE JOB= 2000SQ MTR. INCLUDING COLUMNS, HAND RAILS , STAIRCASE, GRATING, TRUSS, 6" PIPE LINE INSIDE THE BAY
WQA290	GARDEN MAINTENANCE OF OVAL RETAIL OUTLET AS PER ANNEXURE
WSA101	ARC FOR SUPPLY OF FORK LIFT/HYDRA/ TRUCK OPERATORS AFTER OFFICE HOUR, AS PER SCOPE OF WORK, AND INSTRUCTION OF EIC
WSA102	LETTERING WORKS BY WRITING DIFFERENT SIZES NUMBERS/LETTERINGS ON THE BOARDS AVAILABLE IN THE MATERIALS STORES YARD AND LUBRICANTS / CHEMICALS/STORAGE SHEDS, BOARDS/DESPLAY PLATES SHALL BE PAITED WITH METAL PRIMER & BACK GROUND BASE PAINT, & FOLLOWING J
WSA103	PROVIDING SERVICES OF RELEASE OF ADVERTISEMENTS IN LOCAL AND NATIONAL DAILIES AS PER REQ.
WTF012	PROVIDING SERVICES OF 1 NO. OF OFFICE BOY, WITH SSLC PASS QUALIFICATION, AT TRAINING CENTRE FOR SHIFTING OF CHAIRS / COMPUTERS WITHING THE TRAINING CENTER AND TO OPEN, CLOSE AND LOCK ALL THE ROOMS / HALLS OF TRAINING CENTRE EVERY DAY, TO WHIPE WHITE BOAR