

LIST OF LIMITED TENDERS FLOATED DURING FEBRUARY 2009

IND. NO	ITEM DESCRIPTION
AA0207	CEILING FAN H1 48" ,CROMPTON MAKE
AA0208	ORNATE CHIAR(WITH CUSHION) OR EQUIVALANT
AA0209	DG SET,35 KVA,440V,TROLLEY MOUNTED,WATER PROOF CUBICLE
AA0210	DEFENCE BED - USB BRAND 90CM X 190 CM POWDER COATED PER AS ENCLOSED DRAWING
AA0211	MATTRESS 72" X 36" DREAM ON OR EQUIVALENT
AA0227	STEEL POWDER COTED CHAIR'S -THREE IN ONE WITH ARMS C-139
AA0228	PLASTIC CHAIR-NILKAMAL MAKE-MODELCHR2071-DIM:540L*575W*760H
AA0229	COMPLETE DG SET, 15 KVA HA 294 TYPLE 19 BHP @ 1500 RPM AIR C
AA0230	ALMAIRHA STEEL, 6.5 FIT X 3FIT X 19" DEPTH WITH GLASS DOOR
AA0231	REFRIGERATOR 180 LTS. CAPACITY SUPREME MODEL,DIRECT COOL,WHI
AA0232	STUDY TABLE MADE OUT OF 18"MM THICK PLYWOOD WITH TOP SUNMICA 3FEET X 2 FEET WITH BOXAND DRAWER AS PER ENCLOSED DRAWING AND SPECIFICATION
AA0233	WATER COOLER 40/80 LITRES, 2 TAPS,VOLTAS MAKE,BODY:FULL SS
AA0235	ALMAIRHA STEEL, 6.5 FIT X 3FIT X 19" DEPTH WITH GLASS DOOR
AA0236	SYNTEX WATER TANK 5000 LTR CAPACITY
AA0237	CIPROFLOXACIN 500
AA0238	100 PAGE COPY BOOK (4 LINES)
AA0239	HP LASERJET HP LJ 1505
AA0240	BINOCULAR MICROSCOPE - LX 300 WITH PLANO OBJECTIVE FOV 18MM HALOGEN WITH 2 HOURS BATTERY BACKUP
AC0862	HEAVY DUTY ELECTRICAL TOASTER OF CAPACITY FOUR BREAD SLICE
AC0863	CUPBOARD WITH LOCK AND KEY - 4.1/2'
AC0864	CONFERENCE TABLE
AC0865	PHOTOCOPY MACHINE WITH MINIMUM 20CPM B/W AND 20 CPM COLOUR WITH NETWORK PRINTING,NETWORK SCANNING AND FAX FACILITY WITH DADF, DUPLEX ALONG WITH MINIMUM 2 TRAYS AND BYPASS TRAY WITH TROLLY AND FSMA SUPPORT WITH MINIMUM ONE YEAR WARRENTY.
AC0866	PHOTOCOPY MACHINE ON RENT/LEASE FOR MINIMUM ONE YEAR-MINIMUM 20 CPM B/W AND 20CPM COLOUR MACHINE WITH NETWORK PRINTING,NETWORK SCANNINGWITH DADF,DUPLEX PRINTING ALONG WITH MINIMUM 2 TRAYS AND BYPASS TRAY WITH TROLLY.APPROX 10000 COPIESP/M (5% COLOUR)

AE0060	PHOTOCOPY MACHINE WITH MINIMUM 20CPM B/W AND 20 CPM COLOUR WITH NETWORK PRINTING,NETWORK SCANNING AND FAX FACILITY WITH DADF,DUPLEX ALONG WITH MINIMUM 2 TRAYS AND BYPASS TRAY WITH TROLLY AND FSMA SUPPORT,WITH MINIMUM ONE YEAR WARRENTY.
ED0054	COMBINED FEED EXCHANGER-EA45551 WITH SPARES
ED0055	CASSETTE AIR CONDITIONER, 2 TONNE
IA0401	MIFARE 1KB CONTACTLESS SMART CARD (ISO-14443 COMPLIANT)
IA0402	IBM LENOVO THINKCENTER PC AS PER ANNEXURE
IA0403	PROJECTOR: SPECIFICATION: 3000 ANSI LUMENS OR MORE, CONTRAST RATIO 2000:1 OR MORE, USB READY, RESOLUTION XGA MORE THAN 1000*760 WITH CEILING MOUNTED KIT AND IMPORTED WALL MOUNT KIT. MAKE: EPSON, SHARP, INFOCUS
MA0019	AMMETER
MA0020	LCD PROJECTOR WITH XGA RESOLUTION AS PER THE SPECIFICATION ENCLOSED OR EQUIVALENT
ME2030	FLANGE EARTHING STRAPS WITH HOLE DIA 18MM AS PER DETAILS ENCLOSED IN THE ANNEXURE
ME2158	FLP/WP,IIA /IIB,IP-66,LEVEL GAUGE ILLUMINATOR,FOR,15/25W,230
ME2171	AQUA GUARD FILTER CUM PURIFIER CLASSIC MODEL
ME2174	ALKALINE BATTERY 1.5V, "AAA" TYPE, DURACELL OR EQUIVALENT
ME2175	ALUMINIUM TAPE - 1" X 20 MTRS
ME2177	MOTOR CHECKER MDL:EMC-22 OF EMC BRAND W/ LEADS AND CARRY C
ME2178	CONTACTOR,250A,2NO+2NC,TYPE:3TF54 02-OAUO,COIL=240V,SIEMENS
ME2180	ANALOGUE INSUALTION TESTER, 5KV, BATTERY OPERATED CUM HAND CRANK GENERATOR , WITH ALL ACCESSORIES- RISH INSY 5000 AK - MODEL OF RISHAB OR EQU ASPER ANNEXURE DETAILS
ME2182	AVIATION LAMPS, LED, NON-FLASHING, LOW INTENSITY, IP67, FLAMEPROOF SUITABLE FOR GAS GROUP 2A/2B AS PER ANNEXURE DETAILS
ME2184	ELCB, 2 POLE, 25-AMPS, TYPE:100MA
ME2185	PORTABLE HAND HELD VACUUM CLEANER WITH SPECIFICATIONS AS PER ANNEXURE. EQUIVALENT TO PHILIPS FC6049 OR EUREKA FORBES EASY CLEAN. MAKES:EUREKA FORBES/PHILIPS/LG/PANASONIC.
MI2751	WATER FLOW METER,DOMESTIC TYPE,AS PER SPECS ATTACHED
MI2763	T/W 1.5 INCH 150# RF, U=1000MM, ID=11MM,TAG:TI414076, WELL & FLANGE MATERIAL = SS316
MI2777	HART TRANSMITTER OF ORDINARY TYPE 0 TO + 1000 MMWC AS PER SPECIFICATION ENCLOSED.
MI2780	D.P TRANSMITTER,SMART STD110-E1H-00000-SB,SM,LP,TC,TG,F1,1C,
MI2785	TRIP AMPLIFIERS AS PER SPECIFICATION SHEET ATTACHED.

MM6359	LOCKING BAR, P/N 1626/209 FOR 3NDS 3",DRG:TW3-9-028,BA1001
MM6361	STUD W/2 NUTS B7/2H 1/2" X 3"
MM6364	BEARING KIT,WINCH P/N:MH1100P404F2
MM6366	MECHANICAL SEAL COMPLETE W/GLAND PLATE & SLEEVE
MM6367	COMPLETE MECHANICAL SEAL WITH FACES,SLEEVE,ELASTOMERS AND THE GLAND PLATE FOR GT42002
MM6368	1" SPW-304-FLX.GRF-5MMTHK-1500#-I&OR-API601(33TB)
MM6369	BELT HTD 3360-14M-55 EC 41101
MM6370	THERMAL IMAGING SYSTEM WITH ACCESSORIES AS PER THE SPECIFICATION REF NO:MRPL/CM/TI/2009/01 ATTACHED
MM6375	BRASS FILLER WIRE (CCMS) D & H OR EQUAL
MM6376	ELECTRODE AWS 5.4 E347-16 SIZE 2.5 DIA 300 MM
MM6378	SPECIAL BUFFERING ELECTRODE,EUTECTRODE 027,3.15MM THK
MM6381	BAFFLE TRAYS (SET) SS410S FOR DA 1101
MM6383	VALVE GATE SW FRGD A105,IBR,/HF.HF.13CR 1-1/2"1500#
MM6384	1/2",BRAIDED HOSE,2FT LENGTH,BOTH SIDES BANJO BOLTS,F/FORK
MM6388	NONMETALLIC EXPANSIONBELLOW IN CLOSED BELT CONDITION,GB41203
MM6389	GASKET SS316 CAM PROF,GRAP SHEATH,TY:1-759X785X3THK-EA1014
MM6390	1"SQ.DRIVE HEX IMPACT SOCKET - 50MM (E.D.)
MM6391	ASBESTOS SHEETS 0.61MX2.43M
MM6392	COACH SCREW M8 X 185MM
MM6393	EXPAN. BELLOW 3" SA240,7 CONVULSION.FOR EA 1211
MM6395	GASKET,SPWD,118X92X4.5THK, FOR N3 CONN, EA41211
OA0303	CARBON, ACTIVATED, GRAN. GRADE ACG-50 OR EQUAL BASE MATL CO
OA0304	PORTABLE PERSONAL H2S RESPONDER(DIGITAL),RANGE:0 TO 500 PPM
OA0306	LIQUID CUM GAS NITROGEN,99.7 VOL % MIN. 20 PPM MAX.15 KG/CM2
OC0095	SODA ASH(NA2CO3)ANHYDROUS,ASSAY MIN 99.5%CHLORIDE MAX:500PPM
OC0096	SODIUM NITRATE 98% (MAX. CHLORIDE 500 PPM)
OF0160	FREON R-22REFRIGERANT GASCYLINDER,61 KG CAPACITY,W/FREON GAS
OF0161	FREON R-22REFRIGERANT GASCYLINDER,61 KG CAPACITY,W/FREON GAS
OF0162	MOLSIV ADSORBENT 13XAPG
OI0592	DETECTOR,QUARTZOID BULB FOR MVW SPRAY SYSTEM, TEMPERATURE RA
OI0593	WATER MONITOR WITH JET/SPRAY NOZZLE, SIZE: 4", 2580 LPM DISCHARGE CAPACITY
OI0594	FIRE HYDRANT LANDING VALVE,AS PER IS 5290 TYPE A,W/ ISI MARK
QA0167	COMP STNY,10"X6"X3,PART,60/65 GSM,YELLOW (PKT 500)NCR
SA0693	TAG,GREEN COLOUR W/RED LETTER,1 SIDE PRINTING,11.5 X 6.5CM

TD0478	PIPE SEAMLESS A106 GR B IBR SIZE 1-1/2 IN SCH80 PE SQCUT END
TD0479	ELBOW 90 DEG,BW ASTM A234 GR WPB IBR SIZE 4 INCH SCH 40
TD0480	FLANGE BLIND RF ASTM A105 IBR SIZE 4 INCH 150#
TD0481	VALVE GATE FLGD RF A216 GR WCB TRIM13CR IBR SIZE 4 INCH 300#
TD0482	CLAY FILTER FD-32901A FOR MIXED XYLENE PRODUCT
TD0483	PSV 329201A,2"300# X 3"150#, SET PR-13KG/CM2(G)
TD0484	ELBOW 45 DEG BW ASTM A234 WPB SIZE 6 INCH SCH 40
TD0485	COMPRESSED AIR DRAIN TRAP, INLET/OUTLET:3/4",3000#, DESIGN PRESSURE - 12 KG/CM2
TD0486	STEAM TRAP, TYPE-THERMODYNAMIC, IBR, INLET / OUTLET SIZE- 0.5" SW 3000#, I/L PRESS-40 KG/CM2, DES PRESS-62 KG/CM2, DES TEMP- 410DEG C,CONDENSATE FLOW - 400KG/HR
TD0487	VARIABLE SPRING SUPPORT 329-SPR-021 ON 6"-P-3294121M-B1A-IH
TF0048	BALL PEN - REYNOLDS TYPE, 045 / BLACK
TG1081	APRON, CLOTH (LAB COATS) - LARGE SIZE
TG1085	LEAD AND SULPHUR IN UNLEADED GASOLINE, F/X(LEAD 0 TO 50 PPM,
TG1086	CRM DISTILLATION DIESEL,255 ML, P/N:WH0100062651/1310-010-01
TG1087	AROMATICS CAL.SET ASTM D-3606,7X1ML,CAT:D-3606/IS-SET
TG1088	HAND GLOVES,12" LARGE SIZE, NITRILE RUBBER, POWDER FREE
TG1089	CABLE, PICKUP PART NO: AC210109A
W.O.NO.	JOB DESCRIPTION
JME562	INSTALLTION OF SPARES FOR MANUAL/GEAR OPERATED ROLLING SHUTTERS OF SIZE 10-18 FT HEIGHT,10-12 FT WIDTH INCLUDING REMOVAL OF OLD PARTS AND REPLACING THE NEW AS PER PART 'C' OF ANNEXURE 1.
JME569	REPAIR /SERVICING OF TRANSFORMER YARD GATES OF TRANSFORMER RATED 2.5MVA AND BELOW IN MRPL,JETTY,SARAPADY,APMC YARD AND TOWNSHIP.REFER ANNEXURE 1 FOR SCOPE OF JOBS
JME583	PREVENTIVE MAINTENANCE OF PANELS/SWITCHGEARS/BUSDUCTS/TRANSFORMERS AS PER THE ENCLOSED ANNEXURE-1/2/3/4 DURING HYDROCRACKER-2 SHUTDOWN IN APRIL2009
JME585	DESIGN , FABRICATION AND SUPPLY OF RECTANGULAR DUCT OF 20 SWG GI CONSTRUCTION- GI SHEETS TO BE OF TATA/SAIL/JINDAL MAKE FROM THE BLOWER TO THE BATTERY ROOM AND EXTENSION INSIDE THE BATTERY ROOM IF REQUIRED ASPER THE INSTRUCTION OF EIC
JME586	COMPREHENSIVE QUARTERLY MAINTENANCE CONTRACT FOR MOTOROLA MAKE CHARGERS USED FOR GP 300,GP328,GP338 INTRINSICALLY SAFE (IS) VHF RADIOS
JMM341	CARRY OUT BLINDING, OPENING, CLEANING , PRESSURE TESTING AND DEBLINDING OF VESSELS / DRUMS / POT / TANK STRICTLY AS PER TENDER EQUIRY, SOR & INSTRUCTION OF EIC

JMM347	COMPLETE DISMANTLING, OVERHAULING, CLEANING AND CALIBRATION OF GATE, GLOBE, BALL AND BUTTERFLY VALVES OF 150# RATING
JMM348	BLINDING OF NOZZLES,OVERHAULING,CLEANING,HYDROTESTING,DEBLINDING AND HOT BOLTING OF HEAT EXCHANGERS SRU-1/2/3 DURING APR-2009- MAR2010 SHUTDOWN AS PER OPTION A OR OPTION B OF SOR AND SCOPE OF WORK ATTACHED.
JMM351	ATUII, SWSII, SRUII/III VESSELS OPENING CLEANING BLIDING & HYDROTESTING DURING APRIL2009 TO MAR2010 SHUTDOWN AS PER THE TENDER DOCUMENT & AS PER THE INSTRUCTION OF EIC
JMM352	ERECTION OF SCAFFOLDING INSIDE CHARGE HEATER BA41701, CLEANING OF CONVECTION RADIATION SECTION TUBES (OUTSIDE SURFACE),HEATER FLOOR AND DISMANTLING DURING CCR-2 SHUTDOWN AS PER DETAIL SCOPE OF WORK OF TENDER
JMM353	ANNUAL RATE CONTRACT FOR HDPE WELDING AS PER ATTACHED ANNEXURES & EIC INSTRUCTIONS
JMM354	BOILER PRIMARY APH ,SECONDARY APH & ECONOMISER WATER WASH.
JMM356	ANNUAL RATE CONTRACT FOR REMOVING,REPAIRING & REFIXING AFTER REPAIR OF THE BOREWELL PUMPING UNITS CONSTRUCTED BY MRPL ,AS PER ATTACHED TENDER ENQUIRY AND SOR, AND AS PER INSTRUCTIONS OF EIC
JMM357	ARC FOR SCAFFOLDING JOBS.INCLUDES ERECTION & DISMANTLING OF SCAFFOLDING INSIDE THE REFINERY AS PERTHE ENCLOSED TENDER ANNEXURES & MRPL DRGS AS INSTRUCTED BY ENGINEER IN CHARGE
JMM359	REPAIR & SERVICING OF ALTERNATORS & SELF STARTERS AS PER ATTACHED ANNEXURE (AS & WHEN REQUIRED)
JMM360	FABRICATION, WELDING & ERECTION OF GI DUCT FOR H2-1 PENTHOUSE COOLING SYSTEM INCLUDING BENDING,DRILLING OF FLANGES AND STRUCTURAL SUPPORT AS PER ENCLOSED DRAWING DURING H2-1 SHUTDOWN
JMM363	REMOVAL OF OLD RUBBER LINNING FROM SPOOL PIECES/VESSELS
WAA237	PROVIDING,MAKING AND FIXING OF MS STEEL FABRICATION OF GATE, RAILING FOR STAIRCASE AND BALCONY BY USING MS ANGALE SECTIONS, M.S SHEET & SQ BAR INCLUDING COST & CONVEYANCE OF ALL MATERIALS WITH LABOUR CHARGE ETC. COMPLETE
WAA238	INSTALLATION OF HIGH WALL SPLIT AIR CONDITIONERS 1.5 TON VOLTAS MAKE : VERTIS GOLD (JOB INVOVES FIXING OF INDOOR & OUTDOOR UNITS LAYING, COPPER REFRIGERANT PIPE (5 MTR) WITH FIXING ELASTOMERIC NITRIC INSULATION FOR BOTH PIPES,PVC DRAIN PIPING,WIRE WITH CO
WAC528	SUPPLY OF FURNITURE AT MANGALORE DEPOT AS PER ANNEXURE
WAC538	(1) ONE TRUCK FOR TRANSPORTATION OF FAMILY GOODS FROM DELHI TO BANGALORE.

WAC541	PHOTOCOPY MACHINE ON RENT/LEASE FOR MINIMUM ONE YEAR-MINIMUM 20 CPM B/W AND 20CPM COLOUR MACHINE WITH NETWORK PRINTING,NETWORKING SCANNINGWITH DADF.DUPLEX PRINTING ALONG WITH MINIMUM 2 TRAY'S AND BYPASS TRY WITH TROLLY.APPROX 7500 COPIES/PM(5% COLOUR)
WAC542	REPAIR AND RECONDITIONING OF COMPANY OWNED GOODS CARRYING VEHICLE (TEMPO EXCEL) BEARING REGISTERED NO KA-19-A-3831
WAE064	RUNNING AND MAINTENANCE OF MRPL TRANSIT HOUSE AT A-1/55, SAFDURJUNG ENCLAVE, NEW DELHI.
WIA370	ORACLE INTERNET APPLICATION SERVER ENTERPRISE EDITION - PROCESSOR PERPETUAL PRODUCT SUPPORT FOR A PERIOD OF 1 YEAR.
WMC637	REPAIRING THE EXISTING CHAINLINK FENCING AND REPLACING THE DAMAGED PORTION WITH NEW COMPONENTS AS PER THE ENCLOSED BOQ, SPECIFICATION, TERMS AND CONDITIONS OF THE CONTRACT INCLUDING PAINTING EXISTING ANGLE POSTS, SHIFTING THE DAMAGED MATERIALS TO SCRAP
WMC653	MODIFICATION OF ADMIN BUILDING VEHICLE PARKING SHED AS PER ENCLOSED BILL OF QUANTITIES , SPECIFICATION,DRAWING AND AS DIRECTED BY EIC .
WMC663	SUPPLYING & LAYING OF 175MM THICK WATER BOUND MECCADDAM IN 2 LAYERS AND 50 MM THICK BITUMINOUS PREMIX CARPET ALONG WITH SEAL COAT AS PER ENCLOSED BOQ, SPECIFICATIONS, SPECIAL TERMS & CONDITIONS OF CONTRACT AND AS DIRECTED BY EIC.
WMI283	ADDITIONAL TREATMENT AT SINGLE POINT ON EMERGENCY CALL THE TREATMENT SHALL BE DONE ON THE SAME DAY OF THE CALL.
WMP057	REPAIR OF THUMBKEY VENTED DAM AND ARRESTING OF LEAKAGES AS PER ANNEXURE.
WOE206	TO CALIBRATE THE STORAGE TANK FB7029B AS PER ATTACHED SCOPE OF WORK
WQA286	PROVIDING SERVICES TO OPERATORS DURING BITUMEN / FO/ NAPHTHA TRUCK LOADING, HOUSE KEEPING AT TRUCK LOADING AREA, ASSISTANCE IN WEIGHBRIDGE OPERATIONS ETC. AS PER THE GIVEN DETAILS AND AS PER THE INSTRUCTIONS OF ENGINEER-IN-CHARGE.
WTC155	INTERNAL INSPECTION OF STEAM DRUM OF BOILERS IN POWER PLANT AS PER TERMS AND CONDITIONS OF THE TENDER
WTH084	WORK ENVIRONMENT MONITORING AS PER THE ENCLOSED SPECIFICATIONS